







AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	VWM-01	VWM-02
					
Screw Type				M6 M8	M6 M8
VESA Compliant of Mount (mm)				Max. 500 x 400	Max. 500 x 400
Weight Capacity of Mount				80.0 kg	80.0 kg
HX-42	M6	24.8	400 x 200	V	V
HX-42 (Portrait)	M6	24.8	200 x 400	V	V
HX-42E	M6	23.2	200 x 200	V	V
HX-42E (Portrait)	M6	23.2	200 x 200	V	V
PD-42	M6	15.3	200 x 200	V	V
PD-42 (portrait)	M6	15.3	200 x 200	V	V
PD-43Q	M6	10.7	200 x 200	V	V
PD-43Q(portrait)	M6	10.7	200 x 200	V	V
RX-42	M6	24.8	400 x 200	V	V
RX-42 (Portrait)	M6	24.8	200 x 400	V	V
RX-42E	M6	23.1	200 x 200	V	V
RX-42E (Portrait)	M6	23.1	200 x 200	V	V
SC-42	M6	14.3	400 x 400	V	V
SC-42AH	M6	14.3	400 x 400	V	V
SC-42AH (Portrait)	M6	14.3	400 x 400	V	V
SC-42E	M4	8.1	100 x 100		
TX-42	M6	28.3	400 x 200	V	V
TX-42P	M6	24.5	400 x 400	V	V
TX-42P (Portrait)	M6	24.5	400 x 400	V	V
TX-4302	M6	19.5	400 x 400	V	V
TX-4302(Portrait)	M6	19.5	400 x 400	V	V
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200	V	V
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400	V	V
PN-46	M6	24.3	400 x 200 / 200 x 200	V	V
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200	V	V
PN-46D	M8	23.0	400 x 200 / 200 x 400	V	V
PN-46D (Portrait)	M8	23.0	200 x 400 / 400 x 200	V	V
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V
PD-49	M6	19.0	400 x 400	V	V
PF-55H		105.0			
DF-55		94.5			
DS-55		49.5			
DS-55 (portrait)		49.5			
DX-55		150.0			
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200	V	V
HX-55E	M6	37.1	400 x 400	V	V
HX-55E(Portrait)	M6	37.1	400 x 400	V	V
PD-55	M6	24.7	400 x 400	V	V
PD-55 (Portrait)	M6	24.7	400 x 400	V	V
PD-55Q	M6	16.6	400 x 400	V	V

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	VWM-01	VWM-02
					
Screw Type				M6 M8	M6 M8
VESA Compliant of Mount (mm)				Max. 500 x 400	Max. 500 x 400
Weight Capacity of Mount				80.0 kg	80.0 kg
PD-55Q(portrait)	M6	16.6	400 x 400	V	V
PM-55	M6	16.0	400 x 400 / 400 x 200	V	V
PN-55D (PN5DA0)	M6	27.0	400 x 400	V	V
PN-55D(PN5DA0) (Portrait)	M6	27.0	400 x 400	V	V
PN-55D(PN5D00)	M6	29.2	400 x 400	V	V
PN-55D(PN5D00) (Portrait)	M6	29.2	400 x 400	V	V
PN55D2	M6	24.4	400 x 400	V	V
PN-55D2 (Portrait)	M6	24.4	400 x 400	V	V
PN-55H(PN5HA0)	M6	23.0	400 x 400	V	V
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400	V	V
PN-55H(PN5HB0)	M6	24.9	400 x 400	V	V
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400	V	V
VW-55D(VW5D00)	M6	24.4	400 x 400	V	V
VW-55D(VW5D00) (Portrait)	M6	24.4	400 x 400	V	V
VW-55H(VW5H00)	M6	24.4	400 x 400	V	V
VW-55H(VW5H00) (Portrait)	M6	24.4	400 x 400	V	V
PO-55F	M8	29.2	400 x 400	V	V
PO-55F (Portrait)	M8	29.2	400 x 400	V	V
PO-55H	M8	36.7	400 x 400	V	V
PO-55H (Portrait)	M8	36.7	400 x 400	V	V
PS-55	M6	30.6	200 x 200		
PS-55 (Portrait)	M6	30.6	200 x 200		
SC-55E	M4	13.8	400x200		
QM-55	M6	16.0	400 x 400 / 400 x 200	V	V
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V
QX-55	M8	39.1	400 x 400 / 400 x 200	V	V
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400	V	V
RX-55E	M6	37.0	400 x 400	V	V
RX-55E (Portrait)	M6	37.0	400 x 400	V	V
NSD-6501Q	M6	24.8	400 x 400	V	V
PD-65Q	M8	27.8	400 x 400	V	V
PD-65Q(portrait)	M8	27.8	400 x 400	V	V
PM-65	M8	36.2	400 x 400	V	V
PM-65P	M8	24.8	400 x 400	V	V
QM-65	M6	24.8	400 x 400	V	V
QM-65A	M6	24.8	400 x 400	V	V
IFP-6502	M8	39.0	600 x400		
IFP-7502	M8	50.6	800 x400		
NSD-7501Q	M8	53.0	600 x 400		
QD-75	M8	53.3	600 x 400		
QM-75	M8	53.0	600 x 400		

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	VWM-01	VWM-02
					
Screw Type				M6 M8	M6 M8
VESA Compliant of Mount (mm)				Max. 500 x 400	Max. 500 x 400
Weight Capacity of Mount				80.0 kg	80.0 kg
QM-75A	M8	53.0	600 x 400		
QD-84	M8	70.0	600 x 500		
QD-84(portrait)	M8	70.0	500 x 600		
IFP-8620	M8	64.6	800 x 600		
NSD-8601Q	M8	63.8	600 x 400		
QM-86	M8	63.8	600 x 400		
QM-86A	M8	63.8	600 x 400		
QD-98	M8	91.4	800 x 500		
QD-98 (portrait)	M8	91.4	500 x 800		




AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	FMS-01	FMS-02	FMC-02	FMC-03 ± LMK-04	FMC-04 ± LMK-04
Screw Type				M6	M6	M6	M4 M5 M6 M8	M4 M5 M6 M8
VESA Compliant of Mount (mm)				Max. 400 x 400	Max. 400 x 400	Max. 400 x 400	Max. 812 x 600	Max. 812 x 600
Weight Capacity of Mount				30.0 kg	30.0kg	30.0 kg	85.0 kg	125.0 kg
HX-32	M6	15.2	400 x 200	V	V	V		
HX-32(Portrait)	M6	15.2	200 x 400	V	V	V		
HX-32E	M6	15.2	400 x 200	V	V	V		
HX-32E(Portrait)	M6	15.2	200 x 400	V	V	V		
PM-32	M4	5.2	200 x 200 / 100 x 100					
QX-32	M6	15.7	400 x 200 / 200 x 200	V	V	V		
RX-32	M6	15.2	400 x 200	V	V	V		
RX-32 (Portrait)	M6	15.2	200 x 400	V	V	V		
RX-32E	M6	15.0	400 x 200	V	V	V		
RX-32E (Portrait)	M6	15.0	200 x 400	V	V	V		
SC-32	M6	9.1	200 x 100	V	V	V		
SC-32AH	M6	7.0	200 x 100	V	V	V		
SC-32E	M4	5.6	100 x 100					
TX-32	M6	17.6	400 x 200	V	V	V		
TX-32P	M6	12.5	400 x 200	V	V	V		
TX-32P (Portrait)	M6	12.5	200 x 400	V	V	V		
TX-3202	M6	10.4	200 x 200	V	V	V		
TX-3202 (Portrait)	M6	10.4	200 x 200	V	V	V		
HX-42	M6	24.8	400 x 200	V	V	V		
HX-42 (Portrait)	M6	24.8	200 x 400	V	V	V		
HX-42E	M6	23.2	200 x 200	V	V	V		
HX-42E (Portrait)	M6	23.2	200 x 200	V	V	V		
PD-42	M6	15.3	200 x 200	V	V	V		
PD-42 (partrait)	M6	15.3	200 x 200	V	V	V		
PD-43Q	M6	10.7	200 x 200	V	V	V		
PD-43Q(partrait)	M6	10.7	200 x 200	V	V	V		
RX-42	M6	24.8	400 x 200	V	V	V		
RX-42 (Portrait)	M6	24.8	200 x 400	V	V	V		
RX-42E	M6	23.1	200 x 200	V	V	V		
RX-42E (Portrait)	M6	23.1	200 x 200	V	V	V		
SC-42	M6	14.3	400 x 400	V	V	V		
SC-42AH	M6	14.3	400 x 400	V	V	V		
SC-42AH (Portrait)	M6	14.3	400 x 400	V	V	V		
SC-42E	M4	8.1	100 x 100					
TX-42	M6	28.3	400 x 400	V	V	V		
TX-42P	M6	24.5	400 x 400	V	V	V		
TX-42P (Portrait)	M6	24.5	400 x 400	V	V	V		
TX-4302	M6	19.5	400 x 400	V	V	V		
TX-4302 (Portrait)	M6	19.5	400 x 400	V	V	V		
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200	V	V	V		
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V		
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V		
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V	V		
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V	V		
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400	V	V	V		
PN-46	M6	24.3	400 x 200 / 200 x 200	V	V	V		
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200	V	V	V		
PN-46D	M8	23.0	400 x 200 / 200 x 400	V	V	V		
PN-46D (Portrait)	M8	23.0	200 x 400 / 400 x 200	V	V	V		
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V	V		
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V	V		
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V	V		
PD-49	M6	19.0	400 x 400	V	V	V		
PD-49 (Portrait)	M6	19.0	400 x 400	V	V	V		
PF-55H		105.0						
DF-55		94.5						
DS-55		49.5						
DS-55 (portrait)		49.5						
DX-55		150.0						
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V
HX-55E	M6	37.1	400 x 400				V	V
HX-55E(Portrait)	M6	37.1	400 x 400					V
PD-55	M6	24.7	400 x 400	V	V	V	V	V
PD-55 (Portrait)	M6	24.7	400 x 400	V	V	V	V	V
PD-55Q	M6	16.6	400 x 400	V	V	V	V	V
PD-55Q(partrait)	M6	16.6	400 x 400	V	V	V	V	V
PM-55	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V
PN-55D (PN5DA0)	M6	27.0	400 x 400	V	V	V	V	V
PN-55D(PN5DA0) (Portrait)	M6	27.0	400 x 400	V	V	V		V
PN-55D(PN5D00)	M6	29.2	400 x 400	V	V	V	V	V
PN-55D(PN5D00) (Portrait)	M6	29.2	400 x 400	V	V	V	V	V
PN55D2	M6	24.4	400 x 400	V	V	V	V	V
PN-55D2 (Portrait)	M6	24.4	400 x 400	V	V	V	V	V
PN-55H(PN5HA0)	M6	23.0	400 x 400	V	V	V	V	V
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400	V	V	V		V
PN-55H(PN5HB0)	M6	24.9	400 x 400	V	V	V	V	V
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400	V	V	V		V
VW-55D(VW5D00)	M6	24.4	400 x 400	V	V	V	V	V




AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	FMS-01	FMS-02	FMC-02	FMC-03 ± LMK-04	FMC-04 ± LMK-04
Screw Type				M6	M6	M6	M4 M5 M6 M8	M4 M5 M6 M8
VESA Compliant of Mount (mm)				Max. 400 x 400	Max. 400 x 400	Max. 400 x 400	Max. 812 x 600	Max. 812 x 600
Weight Capacity of Mount				30.0 kg	30.0kg	30.0 kg	85.0 kg	125.0 kg
VW-55D(VW5D00) (Portrait)	M6	24.4	400 x 400	V	V	V		
VW-55H(VW5H00)	M6	24.4	400 x 400	V	V	V	V	V
VW-55H(VW5H00) (Portrait)	M6	24.4	400 x 400	V	V	V		
PO-55F	M8	29.2	400 x 400				V	V
PO-55F (Portrait)	M8	29.2	400 x 400					
PO-55H	M8	36.7	400 x 400				V	V
PO-55H (Portrait)	M8	36.7	400 x 400					
PS-55	M6	30.6	200 x 200				V	V
PS-55 (Portrait)	M6	30.6	200 x 200					
SC-55E	M4	13.8	400x200				V	V
QM-55	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V
QX-55	M8	39.1	400 x 400 / 400 x 200				V	V
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400					
RX-55E	M6	37.0	400 x 400				V	V
RX-55E (Portrait)	M6	37.0	400 x 400					
NSD-6501Q	M6	24.8	400 x 400	V	V	V	V	V
PD-65Q	M8	27.8	400 x 400				V	V
PD-65Q(partrait)	M8	27.8	400 x 400					
PM-65	M8	36.2	400 x 400				V	V
PM-65P	M8	24.8	400 x 400				V	V
QM-65	M6	24.8	400 x 400	V	V	V	V	V
QM-65A	M6	24.8	400 x 400	V	V	V	V	V
IFF-6502	M8	39.0	600 x 400				V	V
IFF-7502	M8	50.6	800 x 400				V	V
NSD-7501Q	M8	53.0	600 x 400				V	V
QD-75	M8	53.3	600 x 400				V	V
QM-75	M8	53.0	600 x 400				V	V
QM-75A	M8	53.0	600 x 400				V	V
QD-84	M8	70.0	600 x 500				V	V
QD-84(partrait)	M8	70.0	500 x 600				V	V
IFF-8620	M8	64.6	800 x 600				V	V
NSD-8601Q	M8	63.8	600 x 400				V	V
QM-86	M8	63.8	600 x 400				V	V
QM-86A	M8	63.8	600 x 400				V	V
QD-98	M8	91.4	800 x 500					V
QD-98 (partrait)	M8	91.4	500 x 800					

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
TX-10	M4	1.4	100 X100			
SX-15E	M4	4.3	100 x 100 / 75 x 75			V
SX-15G	M4	4.4	100 x 100 / 75 x 75			V
SX-15P	M4	4.3	100 x 100 / 75 x 75			V
TX-15	M4	2.7	100 x 100			
X-15E	M4	4.2	100 x 100 / 75 x 75			V
X-15P	M4	4.3	100 x 100 / 75 x 75			V
C-17P	M4	2.6	100 x 100			V
DR-17E	M4	5.3	100 x 100 / 75 x 75			V
DR-17G	M4	5.4	100 x 100 / 75 x 75			V
DR-17P	M4	5.8	100 x 100 / 75 x 75			V
SC-17	M4	2.7	100 x 100			V
SC-17AH	M4	2.7	100 x 100			V
SC-17P	M4	2.7	100 x 100			V
SQ-17	M4	2.3	100 x 100			V
SX-17E	M4	5.3	100 x 100 / 75 x 75			V
SX-17G	M4	5.3	100 x 100 / 75 x 75			V
SX-17P	M4	5.3	100 x 100 / 75 x 75			V
TX-17	M4	3.9	100 x 100			
U-17	M4	4.5	100 x 100			V
X-17E	M4	5.2	100 x 100 / 75 x 75			V
X-17P	M4	6.1	100 x 100 / 75 x 75			V
C-19P	M4	3.1	100 x 100			V
SC-19	M4	3.4	100 x 100			V
SC-19AH	M4	3.4	100 x 100			V
SC-19E	M4	2.0	100 x 100			V
SC-19P	M4	3.4	100 x 100			V
SQ-19	M4	2.7	100 x 100			V
SX-19E	M4	6.2	100 x 100 / 75 x 75			V
SX-19G	M4	6.1	100 x 100 / 75 x 75			V
SX-19P	M4	6.3	100 x 100 / 75 x 75			V
TX-19	M4	4.6	100 x 100			
U-19	M4	5.3	100 x 100			V
X-19E	M4	6.0	100 x 100 / 75 x 75			V
CD-2201	M4	2.9	100 x 100			V
DR-22	M4	6.3	100 x 100 / 75 x 75			V
DR-22E	M4	6.2	100 x 100 / 75 x 75			V
DR-22G	M4	6.2	100 x 100 / 75 x 75			V
HX-22	M4	6.3	100 x 100 / 75 x 75			V
LE-22	M4	2.7	100 x 100			V
LE-22E	M4	2.9	100 x 100			V
L-W22	M4	3.2	100 x 100			V
L-W22C	M4	3.2	100 x 100			V
LW-22E	M4	2.9	100 x 100			V
LW-22G	M4	2.5	100 x 100			V
LA-22	M4	3.1	100 x 100			V
LH-22	M4	3.1	100 x 100			V
MX-22	M4	6.1	100 x 100 / 75 x 75			V
RX-22	M4	6.3	100 x 100 / 75 x 75			V
RX-22E	M4	6.2	100 x 100 / 75 x 75			V
RX-22G	M4	6.0	100 x 100 / 75 x 75			V
SC-22	M4	3.2	100 x 100			V
SC-22AH	M4	3.2	100 x 100			V
SC-22E	M4	2.4	100 x 100			V
SQ-22	M4	2.9	100 x 100			V
TBX-2201	M4	6.5	100 x 100 / 75 x 75			V
TM-22	M4	4.3	100 x 100			
TX-22	M4	4.8	100 x 100			

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
X-22	M4	6.3	100 x 100 / 75 x 75			V
X-22E	M4	1.4	100 x 100 / 75 x 75			V
CD-2401	M4	3.8	100 x 100			V
FS-24	M4	3.3	100 x 100			V
FS-24G	M4	2.9	100 X100			V
HX-24	M4	7.3	100 x 100 / 75 x 75			V
HX-24E	M4	7.3	100 x 100 / 75 x 75			V
HX-24G	M4	7.3	100 x 100 / 75 x 75			V
MH-24	M4	2.9	100 X100			V
LE-24	M4	3.3	100 x 100			V
LE-24E	M4	3.4	100 x 100			V
L-W24	M4	3.4	100 x 100			V
L-W24C	M4	4.5	100 x 100			V
LW-24E	M4	3.4	100 x 100			V
LW-24G	M4	3.0	100 x100			V
LA-24	M4	3.1	100 x 100			V
LH-24	M4	3.1	100 x 100			V
EH-24	M4	3.1	100 x 100			V
MD-24	M4	3.3	100 x 100			V
MX-24	M4	7.2	100 x 100 / 75 x 75			V
QX-24	M4	7.4	100 x 100 / 100 x 200			V
RX-24	M4	7.2	100 x 100 / 75 x 75			V
RX-24E	M4	7.3	100 x 100 / 75 x 75			V
RX-24G	M4	7.3	100 x 100 / 75 x 75			V
SC-24	M4	3.4	100 x 100			V
SC-24AH	M4	3.4	100 x 100			V
SC-24E	M4	3.4	100 x 100			V
SC-2402	M4	3.0	100 x 100			V
TM-23	M4	5.1	100 x 100			
U-23	M4	5.4	100 x 100			V
X-24	M4	6.8	100 x 100 / 75 x 75			V
X-24E	M4	7.2	100 x 100 / 75 x 75			V
CD-2701	M4	4.3	100 x 100			V
FS-27	M4	4.2	100 x 100			V
FS-27G	M4	3.8	100 x 100			V
MH-27	M4	3.8	100 x 100			V
LE-27	M4	5.2	100 x 100			V
LE-27E	M4	5.1	100 x 100			V
LE-27R	M4	5.2	100 x 100			V
L-W27	M4	5.5	100 x 100			V
L-W27C	M4	5.2	100 x 100			V
LW-27E	M4	5.0	100 x 100			V
LA-27	M4	3.8	100 x 100			V
LH-27	M4	3.8	100 x 100			V
MD-27	M4	4.2	100 x 100			V
SC-27E	M4	4.6	100 x 100			V
TM-27	M4	6.6	100 x 100			
QF-28	M4	5.3	100 x 100			V
QX-28	M4	10.4	100 x 100 / 100 x 200			V
HX-32	M6	15.2	400 x 200		V	
HX-32(Portrait)	M6	15.2	200 x 400			
HX-32E	M6	15.2	400 x 200		V	
HX-32E(Portrait)	M6	15.2	200 x 400			
PM-32	M4	5.2	200 x 200 / 100 x 100		V	V
QX-32	M6	15.7	400 x 200 / 200 x 200		V	V
RX-32	M6	15.2	400 x 200		V	
RX-32 (Portrait)	M6	15.2	200 x 400			
RX-32E	M6	15.0	400 x 200		V	

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
RX-32E (Portrait)	M6	15.0	200 x 400			
SC-32	M6	9.1	200 x 100		V	V
SC-32AH	M6	7.0	200 x 100		V	V
SC-32E	M4	5.6	100 x 100		V	V
TX-32	M6	17.6	400 x 200			
TX-32P	M6	12.5	400 x 200			
TX-32P (Portrait)	M6	12.5	200 x 400			
HX-42	M6	24.8	400 x 200	V	V	
HX-42 (Portrait)	M6	24.8	200 x 400			
HX-42E	M6	23.2	200 x 200	V	V	V
HX-42E (Portrait)	M6	23.2	200 x 200		V*	V*
PD-42	M6	15.3	200 x 200	V	V	V
PD-42 (partrait)	M6	15.3	200 x 200		V*	V*
PD-43Q	M6	10.7	200 x 200	V	V	V
PD-43Q(partrait)	M6	10.7	200 x 200		V*	V*
RX-42	M6	24.8	400 x 200	V	V	
RX-42 (Portrait)	M6	24.8	200 x 400			
RX-42E	M6	23.1	200 x 200	V	V	V
RX-42E (Portrait)	M6	23.1	200 x 200		V*	V*
SC-42	M6	14.3	400 x 400	V		
SC-42AH	M6	14.3	400 x 400	V		
SC-42AH (Portrait)	M6	14.3	400 x 400			
SC-42E	M4	8.1	100 x 100	V	V	V
TX-42	M6	28.3	400 x 400			
TX-42P	M6	24.5	400 x 400			
TX-42P (Portrait)	M6	24.5	200 x 400			
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200	V	V	V
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V	V
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V	
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400			
PN-46	M6	24.3	400 x 200 / 200 x 200	V	V	V
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200		V*	V*
PN-46D	M6	23.0	400 x 200 / 200 x 200	V	V	V
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200		V*	V*
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V	V
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200		V*	V*
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V	V
PD-49	M6	19.0	400 x 400	V		
PD-49 (Portrait)	M6	19.0	400 x 400			
PF-55H		105.0				
DF-55		94.5				
DS-55		49.5				
DS-55 (portrait)		49.5				
DX-55		150.0				
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200	V	V	
HX-55E	M6	37.1	400 x 400	V		
HX-55E(Portrait)	M6	37.1	400 x 400			
PD-55	M6	24.7	400 x 400	V		
PD-55 (Portrait)	M6	24.7	400 x 400			
PD-55Q	M6	16.6	400 x 400	V		
PD-55Q(partrait)	M6	16.6	400 x 400			
PM-55	M6	16.0	400 x 400 / 400 x 200	V		
PN-55D (PN5DA0)	M6	27.0	400 x 400	V		
PN-55D(PN5DA0) (Portrait)	M6	27.0	400 x 400			
PN-55D(PN5D00)	M6	29.2	400 x 400	V		

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
PN-55D(PN5D00) (Portrait)	M6	29.2	400 x 400			
PN55D2	M6	24.4	400 x 400	V		
PN-55D2 (Portrait)	M6	24.4	400 x 400			
PN-55H(PN5HA0)	M6	23.0	400 x 400	V		
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400			
PN-55H(PN5HB0)	M6	24.9	400 x 400	V		
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400			
VW-55D(VW5D00)	M6	24.4	400 x 400	V		
VW-55D(VW5D00) (Portrait)	M6	24.4	400 x 400			
VW-55H(VW5H00)	M6	24.4	400 x 400	V		
VW-55H(VW5H00) (Portrait)	M6	24.4	400 x 400			
PO-55F	M8	29.2	400 x 400	V		
PO-55F (Portrait)	M8	29.2	400 x 400			
PO-55H	M8	36.7	400 x 400	V		
PO-55H (Portrait)	M8	36.7	400 x 400			
PS-55	M6	30.6	200 x 200	V	V	V
PS-55 (Portrait)	M6	30.6	200 x 200		V*	V
SC-55E	M4	13.8	400x200	V	V	V
QM-55	M6	16.0	400 x 400 / 400 x 200	V	V	
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V	
QX-55	M8	39.1	400 x 400 / 400 x 200	V		
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400			
RX-55E	M6	37.0	400 x 400	V		
RX-55E (Portrait)	M6	37.0	400 x 400			
NSD-6501Q	M6	24.8	400 x 400	V		
PD-65Q	M8	27.8	400 x 400	V		
PD-65Q(partrait)	M8	27.8	400 x 400	V		
PM-65	M8	36.2	400 x 400	V		
PM-65P	M8	24.8	400 x 400	V		
QM-65	M6	24.8	400 x 400	V		
QM-65A	M6	24.8	400 x 400	V		
IFP-6502	M8	39.0	600 x400	V		
IFP-7502	M8	50.6	800 x400			
NSD-7501Q	M8	53.0	600 x 400	V		
QD-75	M8	53.3	600 x 400	V		
QM-75	M8	53.0	600 x 400	V		
QM-75A	M8	53.0	600 x 400	V		
QD-84	M8	70.0	600 x 500			
QD-84(partrait)	M8	70.0	500 x 600			
IFP-8620	M8	64.6	800 x 600			
NSD-8601Q	M8	63.8	600 x 400			
QM-86	M8	63.8	600 x 400			
QM-86A	M8	63.8	600 x 400			
QD-98	M8	91.4	800 x 500			
QD-98 (partrait)	M8	91.4	500 x 800			

*Tilt angles are subject to actual installation conditions.

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	DMC-01	ES-02	DMC-02D	DMS-01D	DMS-01Q	DTS-01
Screw Type				M4	M4	M4	M4	M4	M4 M5 M6 M8
VESA Compliant of Mount (mm)				100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	400 x 400 / 400 x 300 / 400 x 200 / 300 x 300 / 300 x 200 / 200 x 200 / 200 x 200 / 100 x 200 / 150 x 150 / 150 x 100
Weight Capacity of Mount				10.0 kg	2.0-8.0 kg	12.0 kg (per hinge)	12.0 kg (per hinge)	8.0 kg (per hinge)	40.0 kg
TX-10	M4	1.4	100 X100						
SX-15E	M4	4.3	100 x 100 / 75 x 75	V	V	V	V	V	
SX-15G	M4	4.4	100 x 100 / 75 x 75	V	V	V	V	V	
SX-15P	M4	4.3	100 x 100 / 75 x 75	V	V	V	V	V	
TX-15	M4	2.7	100 x 100						
X-15E	M4	4.2	100 x 100 / 75 x 75	V	V	V	V	V	
X-15P	M4	4.3	100 x 100 / 75 x 75	V	V	V	V	V	
C-17P	M4	2.6	100 x 100	V	V	V	V	V	
DR-17E	M4	5.3	100 x 100 / 75 x 75	V	V	V	V	V	
DR-17G	M4	5.4	100 x 100 / 75 x 75	V	V	V	V	V	
DR-17P	M4	5.8	100 x 100 / 75 x 75	V	V	V	V	V	
SC-17	M4	2.7	100 x 100	V	V	V	V	V	
SC-17AH	M4	2.7	100 x 100	V	V	V	V	V	
SC-17P	M4	2.7	100 x 100	V	V	V	V	V	
SQ-17	M4	2.3	100 x 100	V	V	V	V	V	
SX-17E	M4	5.3	100 x 100 / 75 x 75	V	V	V	V	V	
SX-17G	M4	5.3	100 x 100 / 75 x 75	V	V	V	V	V	
SX-17P	M4	5.3	100 x 100 / 75 x 75	V	V	V	V	V	
TX-17	M4	3.9	100 x 100						
U-17	M4	4.5	100 x 100	V	V	V	V	V	
X-17E	M4	5.2	100 x 100 / 75 x 75	V	V	V	V	V	
X-17P	M4	6.1	100 x 100 / 75 x 75	V	V	V	V	V	
C-19P	M4	3.1	100 x 100	V	V	V	V	V	
SC-19	M4	3.4	100 x 100	V	V	V	V	V	
SC-19AH	M4	3.4	100 x 100	V	V	V	V	V	
SC-19E	M4	2.0	100 x 100	V	V	V	V	V	
SC-19P	M4	3.4	100 x 100	V	V	V	V	V	
SQ-19	M4	2.7	100 x 100	V	V	V	V	V	
SX-19E	M4	6.2	100 x 100 / 75 x 75	V	V	V	V	V	
SX-19G	M4	6.1	100 x 100 / 75 x 75	V	V	V	V	V	
SX-19P	M4	6.3	100 x 100 / 75 x 75	V	V	V	V	V	
TX-19	M4	4.6	100 x 100						
U-19	M4	5.3	100 x 100	V	V	V	V	V	
X-19E	M4	6.0	100 x 100 / 75 x 75	V	V	V	V	V	
CD-2201	M4	2.9	100 x 100	V	V	V	V	V	
DR-22	M4	6.3	100 x 100 / 75 x 75	V	V	V	V	V	
DR-22E	M4	6.2	100 x 100 / 75 x 75	V	V	V	V	V	
DR-22G	M4	6.2	100 x 100 / 75 x 75	V	V	V	V	V	
HX-22	M4	6.3	100 x 100 / 75 x 75	V	V	V	V	V	
LE-22	M4	2.7	100 x 100	V	V	V	V	V	
LE-22E	M4	2.9	100 x 100	V	V	V	V	V	
L-W22	M4	3.2	100 x 100	V	V	V	V	V	
L-W22C	M4	3.2	100 x 100	V	V	V	V	V	
LW-22E	M4	2.9	100 x 100	V	V	V	V	V	
LW-22G	M4	2.5	100 x 100	V	V	V	V	V	
LA-22	M4	3.1	100 x 100	V	V	V	V	V	
LH-22	M4	3.1	100 x 100	V	V	V	V	V	
MX-22	M4	6.1	100 x 100 / 75 x 75	V	V	V	V	V	
RX-22	M4	6.3	100 x 100 / 75 x 75	V	V	V	V	V	
RX-22E	M4	6.2	100 x 100 / 75 x 75	V	V	V	V	V	
RX-22G	M4	6.0	100 x 100 / 75 x 75	V	V	V	V	V	
SC-22	M4	3.2	100 x 100	V	V	V	V	V	
SC-22AH	M4	3.2	100 x 100	V	V	V	V	V	
SC-22E	M4	2.4	100 x 100	V	V	V	V	V	
SQ-22	M4	2.9	100 x 100	V	V	V	V	V	
TBX-2201	M4	6.5	100 x 100 / 75 x 75	V	V	V	V	V	
TM-22	M4	4.3	100 x 100						
TX-22	M4	4.8	100 x 100						
X-22	M4	6.3	100 x 100 / 75 x 75	V	V	V	V	V	
X-22E	M4	1.4	100 x 100 / 75 x 75	V	V	V	V	V	
CD-2401	M4	3.8	100 x 100	V	V	V	V	V	
FS-24	M4	3.3	100 x 100	V	V	V	V	V	
FS-24G	M4	2.9	100 X100	V	V	V	V	V	
MH-24	M4	2.9	100 X100	V	V	V	V	V	
HX-24	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
HX-24E	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
HX-24G	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
LE-24	M4	3.3	100 x 100	V	V	V	V	V	
LE-24E	M4	3.4	100 x 100	V	V	V	V	V	



AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	DMC-01	ES-02	DMC-02D	DMS-01D	DMS-01Q	DTS-01
Screw Type				M4	M4	M4	M4	M4	M4 M5 M6 M8
VESA Compliant of Mount (mm)				100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	400 x 400 / 400 x 300 / 400 x 200 / 300 x 300 / 300 x 200 / 200 x 200 / 200 x 200 / 100 x 100 / 150 x 150 / 150 x 100
Weight Capacity of Mount				10.0 kg	2.0-8.0 kg	12.0 kg (per hinge)	12.0 kg (per hinge)	8.0 kg (per hinge)	40.0 kg
L-W24	M4	3.4	100 x 100	V	V	V	V	V	
L-W24C	M4	4.5	100 x 100	V	V	V	V	V	
LW-24E	M4	3.4	100 x 100	V	V	V	V	V	
LW-24G	M4	3.0	100 x 100	V	V	V	V	V	
LA-24	M4	3.1	100 x 100	V	V	V	V	V	
LH-24	M4	3.1	100 x 100	V	V	V	V	V	
EH-24	M4	3.1	100 x 100	V	V	V	V	V	
MD-24	M4	3.3	100 x 100	V	V	V	V	V	
MX-24	M4	7.2	100 x 100 / 75 x 75	V	V	V	V	V	
QX-24	M4	7.4	100 x 100 / 100 x 200	V	V	V	V	V	
RX-24	M4	7.2	100 x 100 / 75 x 75	V	V	V	V	V	
RX-24E	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
RX-24G	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
SC-24	M4	3.4	100 x 100	V	V	V	V	V	
SC-24AH	M4	3.4	100 x 100	V	V	V	V	V	
SC-24E	M4	3.4	100 x 100	V	V	V	V	V	
SC-2402	M4	3.0	100 x 100	V	V	V	V	V	
TM-23	M4	5.1	100 x 100						
U-23	M4	5.4	100 x 100	V	V	V	V	V	
X-24	M4	6.8	100 x 100 / 75 x 75	V	V	V	V	V	
X-24E	M4	7.2	100 x 100 / 75 x 75	V	V	V	V	V	
CD-2701	M4	4.3	100 x 100	V	V				
FS-27	M4	4.2	100 x 100	V	V				
FS-27G	M4	3.8	100 x 100	V	V				
MH-27	M4	3.8	100 x 100	V	V				
LE-27	M4	5.2	100 x 100	V	V				
LE-27E	M4	5.1	100 x 100	V	V				
LE-27R	M4	5.2	100 x 100	V	V				
L-W27	M4	5.5	100 x 100	V	V				
L-W27C	M4	5.2	100 x 100	V	V				
LW-27E	M4	5.0	100 x 100	V	V				
LA-27	M4	3.8	100 x 100	V	V				
LH-27	M4	3.8	100 x 100	V	V				
MD-27	M4	4.2	100 x 100	V	V				
SC-27E	M4	4.6	100 x 100	V	V				
TM-27	M4	6.6	100 x 100		V				
QF-28	M4	5.3	100 x 100	V	V				
QX-28	M4	10.4	100 x 100 / 100 x 200						
HX-32	M6	15.2	400 x 200						V
HX-32(Portrait)	M6	15.2	200 x 400						
HX-32E	M6	15.2	400 x 200						V
HX-32E(Portrait)	M6	15.2	200 x 400						
PM-32	M4	5.2	200 x 200 / 100 x 100	V	V				
QX-32	M6	15.7	400 x 200 / 200 x 200						
RX-32	M6	15.2	400 x 200						V
RX-32 (Portrait)	M6	15.2	200 x 400						
RX-32E	M6	15.0	400 x 200						V
RX-32E (Portrait)	M6	15.0	200 x 400						
SC-32	M6	9.1	200 x 100						V
SC-32AH	M6	7.0	200 x 100						V
SC-32E	M4	5.6	100 x 100	V	V				
TX-32	M6	17.6	400 x 200						
TX-32P	M6	12.5	400 x 200						
TX-32P (Portrait)	M6	12.5	200 x 400						
TX-3202	M6	10.4	200 x 200						V
TX-3202 (Portrait)	M6	10.4	200 x 200						
HX-42	M6	24.8	400 x 200						V
HX-42 (Portrait)	M6	24.8	200 x 400						
HX-42E	M6	23.2	200 x 200						V
HX-42E (Portrait)	M6	23.2	200 x 200						
PD-42	M6	15.3	200 x 200						V
PD-42 (partrait)	M6	15.3	200 x 200						
PD-43Q	M6	10.7	200 x 200						V
PD-43Q(partrait)	M6	10.7	200 x 200						
RX-42	M6	24.8	400 x 200						V
RX-42 (Portrait)	M6	24.8	200 x 400						
RX-42E	M6	23.1	200 x 200						V
RX-42E (Portrait)	M6	23.1	200 x 200						
SC-42	M6	14.3	400 x 400						V
SC-42AH	M6	14.3	400 x 400						V
SC-42AH (Portrait)	M6	14.3	400 x 400						
SC-42E	M4	8.1	100 x 100	V					V
TX-42	M6	28.3	400 x 400						
TX-42P	M6	24.5	400 x 400						
TX-42P (Portrait)	M6	24.5	400 x 400						
TX-4302	M6	19.5	400 x 400						V
TX-4302 (Portrait)	M6	19.5	400 x 400						V
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200						V
PM-43	M6	8.7	400 x 400 / 200 x 200						V

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	DMC-01	ES-02	DMC-02D	DMS-01D	DMS-01Q	DTS-01
Screw Type				M4	M4	M4	M4	M4	M4 M5 M6 M8
VESA Compliant of Mount (mm)				100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	400 x 400 / 400 x 300 / 400 x 200 / 300 x 300 / 300 x 200 / 200 x 200 / 200 x 200 / 100 x 200 / 150 x 150 / 150 x 100
Weight Capacity of Mount				10.0 kg	2.0-8.0 kg	12.0 kg (per hinge)	12.0 kg (per hinge)	8.0 kg (per hinge)	40.0 kg
QM-43	M6	8.7	400 x 400 / 200 x 200						V
QM-43A	M6	8.7	400 x 400 / 200 x 200						V
QX-43	M6	27.1	400 x 400 / 400 x 200						V
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400						V
PN-46	M6	24.3	400 x 200 / 200 x 200						V
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200						V
PN-46D	M6	23.0	400 x 200 / 200 x 200						V
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200						V
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200						V
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200						V
PM-48	M6	11.5	400 x 400 / 200 x 200						V
PD-49	M6	19.0	400 x 400						V
PD-49 (Portrait)	M6	19.0	400 x 400						V
PF-55H		105.0							
DF-55		94.5							
DS-55		49.5							
DS-55 (portrait)		49.5							
DX-55		150.0							
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200						V
HX-55E	M6	37.1	400 x 400						V
HX-55E (Portrait)	M6	37.1	400 x 400						V
PD-55	M6	24.7	400 x 400						V
PD-55 (Portrait)	M6	24.7	400 x 400						V
PD-55Q	M6	16.6	400 x 400						V
PD-55Q (portrait)	M6	16.6	400 x 400						V
PM-55	M6	16.0	400 x 400 / 400 x 200						V
PN-55D (PN5DA0)	M6	27.0	400 x 400						V
PN-55D (PN5DA0) (Portrait)	M6	27.0	400 x 400						V
PN-55D (PN5D00)	M6	29.2	400 x 400						V
PN-55D (PN5D00) (Portrait)	M6	29.2	400 x 400						V
PN55D2	M6	24.4	400 x 400						V
PN-55D2 (Portrait)	M6	24.4	400 x 400						V
PN-55H (PN5HA0)	M6	23.0	400 x 400						V
PN-55H (PN5HA0) (Portrait)	M6	27.2	400 x 400						V
PN-55H (PN5HB0)	M6	24.9	400 x 400						V
PN-55H (PN5HB0) (Portrait)	M6	24.9	400 x 400						V
VW-55D (VW5D00)	M6	24.4	400 x 400						V
VW-55D (VW5D00) (Portrait)	M6	24.4	400 x 400						V
VW-55H (VW5H00)	M6	24.4	400 x 400						V
VW-55H (VW5H00) (Portrait)	M6	24.4	400 x 400						V
PO-55F	M8	29.2	400 x 400						V
PO-55F (Portrait)	M8	29.2	400 x 400						V
PO-55H	M8	36.7	400 x 400						V
PO-55H (Portrait)	M8	36.7	400 x 400						V
PS-55	M6	30.6	200 x 200						V
PS-55 (Portrait)	M6	30.6	200 x 200						V
SC-55E	M4	13.8	400x200						V
QM-55	M6	16.0	400 x 400 / 400 x 200						V
QM-55A	M6	16.0	400 x 400 / 400 x 200						V
QX-55	M8	39.1	400 x 400 / 400 x 200						V
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400						V
RX-55E	M6	37.0	400 x 400						V
RX-55E (Portrait)	M6	37.0	400 x 400						V
NSD-6501Q	M6	24.8	400 x 400						V
PD-65Q	M8	27.8	400 x 400						V
PD-65Q (partrait)	M8	27.8	400 x 400						V
PM-65	M8	36.2	400 x 400						V
PM-65P	M8	24.8	400 x 400						V
QM-65	M6	24.8	400 x 400						V
QM-65A	M6	24.8	400 x 400						V
IIFP-6502	M8	39.0	600 x 400						V
IIFP-7502	M8	50.6	800 x 400						V
NSD-7501Q	M8	53.0	600 x 400						V
QD-75	M8	53.3	600 x 400						V
QM-75	M8	53.0	600 x 400						V
QM-75A	M8	53.0	600 x 400						V
QD-84	M8	70.0	600 x 500						V
QD-84 (partrait)	M8	70.0	500 x 600						V
IIFP-8620	M8	64.6	800 x 600						V
NSD-8601Q	M8	63.8	600 x 400						V
QM-86	M8	63.8	600 x 400						V
QM-86A	M8	63.8	600 x 400						V
QD-98	M8	91.4	800 x 500						V
QD-98 (partrait)	M8	91.4	500 x 800						V

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	HDL-01	HDL-02
					
Screw Type				M4	M4
VESA Compliant of Mount (mm)				/	
Weight Capacity of Mount				/	
DR-17E	M4	5.3	100 x 100 / 75 x 75	V	
DR-17G	M4	5.4	100 x 100 / 75 x 75	V	
DR-17P	M4	5.8	100 x 100 / 75 x 75	V	
DR-22	M4	6.3	100 x 100 / 75 x 75		V
DR-22E	M4	6.2	100 x 100 / 75 x 75		V
DR-22G	M4	6.2	100 x 100 / 75 x 75		V
MX-22	M4	6.1	100 x 100 / 75 x 75		V
MX-24	M4	7.2	100 x 100 / 75 x 75		V