





**AG Neovo Displays & Mounts**

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	VWM-01	VWM-02
					
<b>Screw Type</b>				M6 M8	M6 M8
<b>VESA Compliant of Mount (mm)</b>				Max. 500 x 400	Max. 500 x 400
<b>Weight Capacity of Mount</b>				80.0 kg	80.0 kg
HX-42	M6	24.8	400 x 200	V	V
HX-42 (Portrait)	M6	24.8	200 x 400	V	V
HX-42E	M6	23.2	200 x 200	V	V
HX-42E (Portrait)	M6	23.2	200 x 200	V	V
PD-42	M6	15.3	200 x 200	V	V
PD-42 (partrait)	M6	15.3	200 x 200	V	V
RX-42	M6	24.8	400 x 200	V	V
RX-42 (Portrait)	M6	24.8	200 x 400	V	V
RX-42E	M6	23.1	200 x 200	V	V
RX-42E (Portrait)	M6	23.1	200 x 200	V	V
SC-42	M6	14.3	400 x 400	V	V
SC-42AH	M6	14.3	400 x 400	V	V
SC-42AH (Portrait)	M6	14.3	400 x 400	V	V
SC-42E	M4	8.1	100 x 100		
TX-42	M6	28.3	400 x 200	V	V
TX-42P	M6	24.5	400 x 200	V	V
TX-42P (Portrait)	M6	24.5	200 x 400	V	V
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200	V	V
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400	V	V
PN-46	M6	24.3	400 x 200 / 200 x 200	V	V
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200	V	V
PN-46D	M8	23.0	400 x 200 / 200 x 400	V	V
PN-46D (Portrait)	M8	23.0	200 x 400 / 400 x 200	V	V
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V
PD-49	M6	19.0	400 x 400	V	V
PF-55H		105.0			
DF-55		94.5			
DS-55		49.5			
DS-55 (portrait)		49.5			
DX-55		150.0			
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200	V	V
HX-55E	M6	37.1	400 x 400	V	V
HX-55E(Portrait)	M6	37.1	400 x 400	V	V
PD-55	M6	24.7	400 x 400	V	V
PD-55 (Portrait)	M6	24.7	400 x 400	V	V
PM-55	M6	16.0	400 x 400 / 400 x 200	V	V
PN-55D (PN5DA0)	M6	27.0	400 x 400	V	V
PN-55D( PN5DA0) (Portrait)	M6	27.0	400 x 400	V	V
PN-55D( PN5D00)	M6	29.2	400 x 400	V	V
PN-55D( PN5D00) (Portrait)	M6	29.2	400 x 400	V	V
PN-55H(PN5HA0)	M6	23.0	400 x 400	V	V
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400	V	V
PN-55H(PN5HB0)	M6	24.9	400 x 400	V	V
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400	V	V
VW-55D( VW5D00)	M6	24.4	400 x 400	V	V

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	VWM-01	VWM-02
					
<b>Screw Type</b>				M6 M8	M6 M8
<b>VESA Compliant of Mount (mm)</b>				Max. 500 x 400	Max. 500 x 400
<b>Weight Capacity of Mount</b>				80.0 kg	80.0 kg
VW-55D( VW5D00) (Portrait)	M6	24.4	400 x 400	V	V
VW-55H( VW5H00)	M6	24.4	400 x 400	V	V
VW-55H( VW5H00) (Portrait)	M6	24.4	400 x 400	V	V
PO-55F	M8	29.2	400 x 400	V	V
PO-55F (Portrait)	M8	29.2	400 x 400	V	V
PO-55H	M8	36.7	400 x 400	V	V
PO-55H (Portrait)	M8	36.7	400 x 400	V	V
PS-55	M6	30.6	200 x 200		
PS-55 (Portrait)	M6	30.6	200 x 200		
SC-55E	M4	13.8	400x200		
QM-55	M6	16.0	400 x 400 / 400 x 200	V	V
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V
QX-55	M8	39.1	400 x 400 / 400 x 200	V	V
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400	V	V
RX-55E	M6	37.0	400 x 400	V	V
RX-55E (Portrait)	M6	37.0	400 x 400	V	V
NSD-6501Q	M6	24.8	400 x 400	V	V
PM-65	M8	36.2	400 x 400	V	V
PM-65P	M8	24.8	400 x 400	V	V
QM-65	M6	24.8	400 x 400	V	V
QM-65A	M6	24.8	400 x 400	V	V
IFP-6502	M8	39.0	600 x400		
IFP-7502	M8	50.6	800 x400		
NSD-7501Q	M8	53.0	600 x 400		
QD-75	M8	53.3	600 x 400		
QM-75	M8	53.0	600 x 400		
QM-75A	M8	53.0	600 x 400		
QD-84	M8	70.0	600 x 500		
QD-84(partrait)	M8	70.0	500 x 600		
IFP-8620	M8	64.6	800 x 600		
NSD-8601Q	M8	63.8	600 x 400		
QM-86	M8	63.8	600 x 400		
QM-86A	M8	63.8	600 x 400		
QD-98	M8	91.4	800 x 500		
QD-98 (partrait)	M8	91.4	500 x 800		

## AG Neovo Displays &amp; Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	FMS-01	FMS-02	FMC-02	FMC-03 ± LMK-04	FMC-04 ± LMK-04
Screw Type				M6	M6	M6	M4 M5 M6 M8	M4 M5 M6 M8
VESA Compliant of Mount (mm)				Max. 400 x 400	Max. 400 x 400	Max. 400 x 400	Max. 812 x 600	Max. 812 x 600
Weight Capacity of Mount				30.0 kg	30.0kg	30.0 kg	85.0 kg	125.0 kg
HX-32	M6	15.2	400 x 200	V	V	V		
HX-32(Portrait)	M6	15.2	200 x 400	V	V	V		
HX-32E	M6	15.2	400 x 200	V	V	V		
HX-32E(Portrait)	M6	15.2	200 x 400	V	V	V		
PM-32	M4	5.2	200 x 200 / 100 x 100					
QX-32	M6	15.7	400 x 200 / 200 x 200	V	V	V		
RX-32	M6	15.2	400 x 200	V	V	V		
RX-32 (Portrait)	M6	15.2	200 x 400	V	V	V		
RX-32E	M6	15.0	400 x 200	V	V	V		
RX-32E (Portrait)	M6	15.0	200 x 400	V	V	V		
SC-32	M6	9.1	200 x 100	V	V	V		
SC-32AH	M6	7.0	200 x 100	V	V	V		
SC-32E	M4	5.6	100 x100					
TX-32	M6	17.6	400 x 200	V	V	V		
TX-32P	M6	12.5	400 x 200	V	V	V		
TX-32P (Portrait)	M6	12.5	200 x 400	V	V	V		
HX-42	M6	24.8	400 x 200	V	V	V		
HX-42 (Portrait)	M6	24.8	200 x 400	V	V	V		
HX-42E	M6	23.2	200 x 200	V	V	V		
HX-42E (Portrait)	M6	23.2	200 x 200	V	V	V		
PD-42	M6	15.3	200 x 200	V	V	V		
PD-42 (portrait)	M6	15.3	200 x 200	V	V	V		
RX-42	M6	24.8	400 x 200	V	V	V		
RX-42 (Portrait)	M6	24.8	200 x 400	V	V	V		
RX-42E	M6	23.1	200 x 200	V	V	V		
RX-42E (Portrait)	M6	23.1	200 x 200	V	V	V		
SC-42	M6	14.3	400 x 400	V	V	V		
SC-42AH	M6	14.3	400 x 400	V	V	V		
SC-42AH (Portrait)	M6	14.3	400 x 400	V	V	V		
SC-42E	M4	8.1	100 x 100					
TX-42	M6	28.3	400 x 200	V	V	V		
TX-42P	M6	24.5	400 x 200	V	V	V		
TX-42P (Portrait)	M6	24.5	200 x 400	V	V	V		
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200	V	V	V		
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V		
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V		
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V	V		
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V	V		
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400	V	V	V		
PN-46	M6	24.3	400 x 200 / 200 x 200	V	V	V		
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200	V	V	V		
PN-46D	M8	23.0	400 x 200 / 200 x 400	V	V	V		
PN-46D (Portrait)	M8	23.0	200 x 400 / 400 x 200	V	V	V		
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V	V		
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V	V		
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V	V		
PD-49	M6	19.0	400 x 400	V	V	V		
PD-49 (Portrait)	M6	19.0	400 x 400	V	V	V		
PF-55H		105.0						
DF-55		94.5						
DS-55		49.5						
DS-55 (portrait)		49.5						
DX-55		150.0						
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V
HX-55E	M6	37.1	400 x 400				V	V
HX-55E(Portrait)	M6	37.1	400 x 400					V
PD-55	M6	24.7	400 x 400	V	V	V	V	V
PD-55 (Portrait)	M6	24.7	400 x 400	V	V	V		V
PM-55	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V
PN-55D (PN5DA0)	M6	27.0	400 x 400	V	V	V	V	V
PN-55D( PN5DA0) (Portrait)	M6	27.0	400 x 400	V	V	V		V
PN-55D( PN5D00)	M6	29.2	400 x 400	V	V	V	V	V
PN-55D( PN5D00) (Portrait)	M6	29.2	400 x 400	V	V	V		V
PN-55H(PN5HA0)	M6	23.0	400 x 400	V	V	V	V	V
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400	V	V	V		V
PN-55H(PN5HB0)	M6	24.9	400 x 400	V	V	V	V	V
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400	V	V	V		V
VW-55D( VW5D00)	M6	24.4	400 x 400	V	V	V	V	V
VW-55D( VW5D00) (Portrait)	M6	24.4	400 x 400	V	V	V		V
VW-55H( VW5H00)	M6	24.4	400 x 400	V	V	V	V	V
VW-55H( VW5H00) (Portrait)	M6	24.4	400 x 400	V	V	V		V
PO-55F	M8	29.2	400 x 400				V	V
PO-55F (Portrait)	M8	29.2	400 x 400					V
PO-55H	M8	36.7	400 x 400				V	V
PO-55H (Portrait)	M8	36.7	400 x 400					V
PS-55	M6	30.6	200 x 200				V	V
PS-55 (Portrait)	M6	30.6	200 x 200					V
SC-55E	M4	13.8	400x200				V	V
QM-55	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V
QX-55	M8	39.1	400 x 400 / 400 x 200				V	V




## AG Neovo Displays &amp; Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	FMS-01	FMS-02	EMC-02	EMC-03 ± LMK-04	EMC-04 ± LMK-04
Screw Type				M6	M6	M6	M4 M5 M6 M8	M4 M5 M6 M8
VESA Compliant of Mount (mm)				Max. 400 x 400	Max. 400 x 400	Max. 400 x 400	Max. 812 x 600	Max. 812 x 600
Weight Capacity of Mount				30.0 kg	30.0kg	30.0 kg	85.0 kg	125.0 kg
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400					
RX-55E	M6	37.0	400 x 400				V	V
RX-55E (Portrait)	M6	37.0	400 x 400					
NSD-6501Q	M6	24.8	400 x 400	V	V	V	V	V
PM-65	M8	36.2	400 x 400				V	V
PM-65P	M8	24.8	400 x 400				V	V
QM-65	M6	24.8	400 x 400	V	V	V	V	V
QM-65A	M6	24.8	400 x 400	V	V	V	V	V
IFP-6502	M8	39.0	600 x400				V	V
IFP-7502	M8	50.6	800 x400				V	V
NSD-7501Q	M8	53.0	600 x 400				V	V
QD-75	M8	53.3	600 x 400				V	V
QM-75	M8	53.0	600 x 400				V	V
QM-75A	M8	53.0	600 x 400				V	V
QD-84	M8	70.0	600 x 500				V	V
QD-84(partrait)	M8	70.0	500 x 600				V	V
IFP-8620	M8	64.6	800 x 600				V	V
NSD-8601Q	M8	63.8	600 x 400				V	V
QM-86	M8	63.8	600 x 400				V	V
QM-86A	M8	63.8	600 x 400				V	V
QD-98	M8	91.4	800 x 500					V
QD-98 (partrait)	M8	91.4	500 x 800					




AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
<b>Screw Type</b>				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
<b>VESA Compliant of Mount (mm)</b>				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
<b>Weight Capacity of Mount</b>				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
TX-10	M4	1.4	100 X100			
SX-15E	M4	4.3	100 x 100 / 75 x 75			V
SX-15G	M4	4.4	100 x 100 / 75 x 75			V
SX-15P	M4	4.3	100 x 100 / 75 x 75			V
TX-15	M4	2.7	100 x 100			
X-15E	M4	4.2	100 x 100 / 75 x 75			V
X-15P	M4	4.3	100 x 100 / 75 x 75			V
C-17P	M4	2.6	100 x 100			V
DR-17E	M4	5.3	100 x 100 / 75 x 75			V
DR-17G	M4	5.4	100 x 100 / 75 x 75			V
DR-17P	M4	5.8	100 x 100 / 75 x 75			V
SC-17	M4	2.7	100 x 100			V
SC-17AH	M4	2.7	100 x 100			V
SC-17P	M4	2.7	100 x 100			V
SQ-17	M4	2.3	100 x 100			V
SX-17E	M4	5.3	100 x 100 / 75 x 75			V
SX-17G	M4	5.3	100 x 100 / 75 x 75			V
SX-17P	M4	5.3	100 x 100 / 75 x 75			V
TX-17	M4	3.9	100 x 100			
U-17	M4	4.5	100 x 100			V
X-17E	M4	5.2	100 x 100 / 75 x 75			V
X-17P	M4	6.1	100 x 100 / 75 x 75			V
C-19P	M4	3.1	100 x 100			V
SC-19	M4	3.4	100 x 100			V
SC-19AH	M4	3.4	100 x 100			V
SC-19E	M4	2.0	100 x 100			V
SC-19P	M4	3.4	100 x 100			V
SQ-19	M4	2.7	100 x 100			V
SX-19E	M4	6.2	100 x 100 / 75 x 75			V
SX-19G	M4	6.1	100 x 100 / 75 x 75			V
SX-19P	M4	6.3	100 x 100 / 75 x 75			V
TX-19	M4	4.6	100 x 100			
U-19	M4	5.3	100 x 100			V
X-19E	M4	6.0	100 x 100 / 75 x 75			V
DR-22	M4	6.3	100 x 100 / 75 x 75			V
DR-22E	M4	6.2	100 x 100 / 75 x 75			V
DR-22G	M4	6.2	100 x 100 / 75 x 75			V
HX-22	M4	6.3	100 x 100 / 75 x 75			V
LE-22	M4	2.7	100 x 100			V
LE-22E	M4	2.9	100 x 100			V
L-W22	M4	3.2	100 x 100			V
L-W22C	M4	3.2	100 x 100			V
LW-22E	M4	2.9	100 x 100			V
LW-22G	M4	2.5	100 x 100			V
LA-22	M4	3.1	100 x 100			V
LH-22	M4	3.1	100 x 100			V
MX-22	M4	6.1	100 x 100 / 75 x 75			V
RX-22	M4	6.3	100 x 100 / 75 x 75			V
RX-22E	M4	6.2	100 x 100 / 75 x 75			V
RX-22G	M4	6.0	100 x 100 / 75 x 75			V
SC-22	M4	3.2	100 x 100			V
SC-22AH	M4	3.2	100 x 100			V
SC-22E	M4	2.4	100 x 100			V
SQ-22	M4	2.9	100 x 100			V
TBX-2201	M4	6.5	100 x 100 / 75 x 75			V
TM-22	M4	4.3	100 x 100			
TX-22	M4	4.8	100 x 100			
X-22	M4	6.3	100 x 100 / 75 x 75			V
X-22E	M4	1.4	100 x 100 / 75 x 75			V
FS-24	M4	3.3	100 x 100			V
FS-24G	M4	2.9	100 X100			V
HX-24	M4	7.3	100 x 100 / 75 x 75			V
HX-24E	M4	7.3	100 x 100 / 75 x 75			V
HX-24G	M4	7.3	100 x 100 / 75 x 75			V
LE-24	M4	3.3	100 x 100			V
LE-24E	M4	3.4	100 x 100			V

**AG Neovo Displays & Mounts**

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
<b>Screw Type</b>				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
<b>VESA Compliant of Mount (mm)</b>				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
<b>Weight Capacity of Mount</b>				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
L-W24	M4	3.4	100 x 100			V
L-W24C	M4	4.5	100 x 100			V
LW-24E	M4	3.4	100 x 100			V
LW-24G	M4	3.0	100 x 100			V
LA-24	M4	3.1	100 x 100			V
LH-24	M4	3.1	100 x 100			V
MD-24	M4	3.3	100 x 100			V
MX-24	M4	7.2	100 x 100 / 75 x 75			V
MX-24G	M4	7.3	100 x 100 / 75 x 75			V
QX-24	M4	7.4	100 x 100 / 100 x 200			V
RX-24	M4	7.2	100 x 100 / 75 x 75			V
RX-24E	M4	7.3	100 x 100 / 75 x 75			V
RX-24G	M4	7.3	100 x 100 / 75 x 75			V
SC-24	M4	3.4	100 x 100			V
SC-24AH	M4	3.4	100 x 100			V
SC-24E	M4	3.4	100 x 100			V
TM-23	M4	5.1	100 x 100			
U-23	M4	5.4	100 x 100			V
X-24	M4	6.8	100 x 100 / 75 x 75			V
X-24E	M4	7.2	100 x 100 / 75 x 75			V
FS-27	M4	4.2	100 x 100			V
FS-27G	M4	3.8	100 x 100			V
LE-27	M4	5.2	100 x 100			V
LE-27E	M4	5.1	100 x 100			V
LE-27R	M4	5.2	100 x 100			V
L-W27	M4	5.5	100 x 100			V
L-W27C	M4	5.2	100 x 100			V
LW-27E	M4	5.0	100 x 100			V
LA-27	M4	3.8	100 x 100			V
LH-27	M4	3.8	100 x 100			V
MD-27	M4	4.2	100 x 100			V
SC-27E	M4	4.6	100 x 100			V
TM-27	M4	6.6	100 x 100			
QF-28	M4	5.3	100 x 100			V
QX-28	M4	10.4	100 x 100 / 100 x 200			V
HX-32	M6	15.2	400 x 200		V	
HX-32(Portrait)	M6	15.2	200 x 400			
HX-32E	M6	15.2	400 x 200		V	
HX-32E(Portrait)	M6	15.2	200 x 400			
PM-32	M4	5.2	200 x 200 / 100 x 100		V	V
QX-32	M6	15.7	400 x 200 / 200 x 200		V	V
RX-32	M6	15.2	400 x 200		V	
RX-32 (Portrait)	M6	15.2	200 x 400			
RX-32E	M6	15.0	400 x 200		V	
RX-32E (Portrait)	M6	15.0	200 x 400			
SC-32	M6	9.1	200 x 100		V	V
SC-32AH	M6	7.0	200 x 100		V	V
SC-32E	M4	5.6	100 x 100		V	V
TX-32	M6	17.6	400 x 200			
TX-32P	M6	12.5	400 x 200			
TX-32P (Portrait)	M6	12.5	200 x 400			
HX-42	M6	24.8	400 x 200	V	V	
HX-42 (Portrait)	M6	24.8	200 x 400			
HX-42E	M6	23.2	200 x 200	V	V	V
HX-42E (Portrait)	M6	23.2	200 x 200		V*	V*
PD-42	M6	15.3	200 x 200	V	V	V
PD-42 (partrait)	M6	15.3	200 x 200		V*	V*
RX-42	M6	24.8	400 x 200	V	V	
RX-42 (Portrait)	M6	24.8	200 x 400			
RX-42E	M6	23.1	200 x 200	V	V	V
RX-42E (Portrait)	M6	23.1	200 x 200		V*	V*
SC-42	M6	14.3	400 x 400	V		
SC-42AH	M6	14.3	400 x 400	V		
SC-42AH (Portrait)	M6	14.3	400 x 400			
SC-42E	M4	8.1	100 x 100	V	V	V
TX-42	M6	28.3	400 x 200			

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
<b>Screw Type</b>				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
<b>VESA Compliant of Mount (mm)</b>				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
<b>Weight Capacity of Mount</b>				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
TX-42P	M6	24.5	400 x 200			
TX-42P (Portrait)	M6	24.5	200 x 400			
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200	V	V	V
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V	V
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V	
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400			
PN-46	M6	24.3	400 x 200 / 200 x 200	V	V	V
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200		V*	V*
PN-46D	M6	23.0	400 x 200 / 200 x 200	V	V	V
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200		V*	V*
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V	V
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200		V*	V*
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V	V
PD-49	M6	19.0	400 x 400	V		
PD-49 (Portrait)	M6	19.0	400 x 400			
PF-55H		105.0				
DF-55		94.5				
DS-55		49.5				
DS-55 (portrait)		49.5				
DX-55		150.0				
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200	V	V	
HX-55E	M6	37.1	400 x 400	V		
HX-55E(Portrait)	M6	37.1	400 x 400			
PD-55	M6	24.7	400 x 400	V		
PD-55 (Portrait)	M6	24.7	400 x 400			
PM-55	M6	16.0	400 x 400 / 400 x 200	V		
PN-55D (PN5DA0)	M6	27.0	400 x 400	V		
PN-55D( PN5DA0) (Portrait)	M6	27.0	400 x 400			
PN-55D( PN5D00)	M6	29.2	400 x 400	V		
PN-55D( PN5D00) (Portrait)	M6	29.2	400 x 400			
PN-55H(PN5HA0)	M6	23.0	400 x 400	V		
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400			
PN-55H(PN5HB0)	M6	24.9	400 x 400	V		
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400			
VW-55D( VW5D00)	M6	24.4	400 x 400	V		
VW-55D( VW5D00) (Portrait)	M6	24.4	400 x 400			
VW-55H( VW5H00)	M6	24.4	400 x 400	V		
VW-55H( VW5H00) (Portrait)	M6	24.4	400 x 400			
PO-55F	M8	29.2	400 x 400	V		
PO-55F (Portrait)	M8	29.2	400 x 400			
PO-55H	M8	36.7	400 x 400	V		
PO-55H (Portrait)	M8	36.7	400 x 400			
PS-55	M6	30.6	200 x 200	V	V	V
PS-55 (Portrait)	M6	30.6	200 x 200		V*	V
SC-55E	M4	13.8	400x200	V	V	V
QM-55	M6	16.0	400 x 400 / 400 x 200	V	V	
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V	
QX-55	M8	39.1	400 x 400 / 400 x 200	V		
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400			
RX-55E	M6	37.0	400 x 400	V		

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	<a href="#">CMP-01</a> ± <a href="#">LMK-01</a>	<a href="#">CMP-01</a> ± <a href="#">LMK-02</a>	<a href="#">CMP-01</a> ± <a href="#">WMK-03</a>
<b>Screw Type</b>				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
<b>VESA Compliant of Mount (mm)</b>				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
<b>Weight Capacity of Mount</b>				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
RX-55E (Portrait)	M6	37.0	400 x 400			
NSD-6501Q	M6	24.8	400 x 400	V		
PM-65	M8	36.2	400 x 400	V		
PM-65P	M8	24.8	400 x 400	V		
QM-65	M6	24.8	400 x 400	V		
QM-65A	M6	24.8	400 x 400	V		
IFP-6502	M8	39.0	600 x400	V		
IFP-7502	M8	50.6	800 x400			
NSD-7501Q	M8	53.0	600 x 400	V		
QD-75	M8	53.3	600 x 400	V		
QM-75	M8	53.0	600 x 400	V		
QM-75A	M8	53.0	600 x 400	V		
QD-84	M8	70.0	600 x 500			
QD-84(partrait)	M8	70.0	500 x 600			
IFP-8620	M8	64.6	800 x 600			
NSD-8601Q	M8	63.8	600 x 400			
QM-86	M8	63.8	600 x 400			
QM-86A	M8	63.8	600 x 400			
QD-98	M8	91.4	800 x 500			
QD-98 (partrait)	M8	91.4	500 x 800			





## AG Neovo Displays &amp; Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	LMK-01	LMK-02	LMK-03	LMA-01	WMA-01	PMK-01	WMK-01	WMK-03
<b>Screw Type</b>				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6 M8	M4 M5 M6 M8	M4 M5 M6 M8	M4	M4	M4 M5 M6
<b>VESA Compliant of Mount (mm)</b>				Max. 725 x 450	Max. 400 x 330	Max. 800 x 500	Max. 400 x 400	200 x 200 / 200 x 100 / 100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	200 x 200 / 200 x 100 / 100 x 100
<b>Weight Capacity of Mount</b>				80.0 kg	80.0 kg	100.0kg	35.0 kg	25.0 kg	14.0 kg	18.0kg	60.0 kg
SC-42E	M4	8.1	100 x 100	V	V		V	V	V	V	V
TX-42	M6	28.3	400 x 200	V	V	V					
TX-42P	M6	24.5	400 x 200	V	V	V					
TX-42P (Portrait)	M6	24.5	200 x 400	V	V	V					
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200	V	V	V	V	V			V
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V	V	V			V
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V	V	V			V
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V	V	V	V			V
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V	V	V	V			V
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400	V	V	V	V	V			V
PN-46	M6	24.3	400 x 200 / 200 x 200	V	V	V	V	V			V
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200	V	V*	V	V	V			V*
PN-46D	M6	23.0	400 x 200 / 200 x 200	V	V	V	V	V			V
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200	V	V*	V	V	V			V*
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V	V	V	V			V
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V*	V	V	V			V
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V	V	V	V			V
PD-49	M6	19.0	400 x 400	V	V	V	V	V			V
PD-49 (Portrait)	M6	19.0	400 x 400	V	V	V	V	V			V
PF-55H		105.0									
DF-55		94.5									
DS-55		49.5									
DS-55 (portrait)		49.5									
DX-55		150.0									
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V			
HX-55E	M6	37.1	400 x 400	V	V	V	V	V			
HX-55E (Portrait)	M6	37.1	400 x 400	V	V	V	V	V			
PD-55	M6	24.7	400 x 400	V	V	V	V	V			
PD-55 (Portrait)	M6	24.7	400 x 400	V	V	V	V	V			
PM-55	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V			
PN-55D (PNSDA0)	M6	27.0	400 x 400	V	V	V	V	V			
PN-55D (PNSDA0) (Portrait)	M6	27.0	400 x 400	V	V	V	V	V			
PN-55D (PNSDD0)	M6	29.2	400 x 400	V	V	V	V	V			
PN-55D (PNSDD0) (Portrait)	M6	29.2	400 x 400	V	V	V	V	V			
PN-55H (PNSHA0)	M6	23.0	400 x 400	V	V	V	V	V			
PN-55H (PNSHA0) (Portrait)	M6	27.2	400 x 400	V	V	V	V	V			
PN-55H (PNSHB0)	M6	24.9	400 x 400	V	V	V	V	V			
PN-55H (PNSHB0) (Portrait)	M6	24.9	400 x 400	V	V	V	V	V			
VW-55D (VWSD00)	M6	24.4	400 x 400	V	V	V	V	V			
VW-55D (VWSD00) (Portrait)	M6	24.4	400 x 400	V	V	V	V	V			
VW-55H (VWSD00)	M6	24.4	400 x 400	V	V	V	V	V			
VW-55H (VWSD00) (Portrait)	M6	24.4	400 x 400	V	V	V	V	V			
PO-55F	M8	29.2	400 x 400	V	V	V	V	V			
PO-55F (Portrait)	M8	29.2	400 x 400	V	V	V	V	V			
PO-55H	M8	36.7	400 x 400	V	V	V	V	V			
PO-55H (Portrait)	M8	36.7	400 x 400	V	V	V	V	V			
PS-55	M6	30.6	200 x 200	V	V	V	V	V			V
PS-55 (Portrait)	M6	30.6	200 x 200	V	V*	V	V	V			V
SC-55E	M4	13.8	400x200	V	V	V	V	V			
QM-55	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V			
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V			
QX-55	M8	39.1	400 x 400 / 400 x 200	V	V	V	V	V			
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400	V	V*	V	V	V			
RX-55E	M6	37.0	400 x 400	V	V	V	V	V			
RX-55E (Portrait)	M6	37.0	400 x 400	V	V	V	V	V			
NSD-6501Q	M6	24.8	400 x 400	V	V	V	V	V			
PM-65	M8	36.2	400 x 400	V	V	V	V	V			
PM-65P	M8	24.8	400 x 400	V	V	V	V	V			
QM-65	M6	24.8	400 x 400	V	V	V	V	V			
QM-65A	M6	24.8	400 x 400	V	V	V	V	V			
IFP-6502	M8	39.0	600 x 600	V	V*	V	V	V			
IFP-7502	M8	50.6	800 x 600	V	V*	V	V	V			
NSD-7501Q	M8	53.0	600 x 400	V	V	V*	V	V			
QD-75	M8	53.3	600 x 400	V	V	V*	V	V			
QM-75	M8	53.0	600 x 400	V	V	V*	V	V			
QM-75A	M8	53.0	600 x 400	V	V	V*	V	V			
QD-84	M8	70.0	600 x 500	V	V	V*	V	V			
QD-84 (portrait)	M8	70.0	500 x 600	V	V	V*	V	V			
IFP-8620	M8	64.6	800 x 600	V	V	V*	V	V			
NSD-8601Q	M8	63.8	600 x 400	V*	V	V*	V	V			
QM-86	M8	63.8	600 x 400	V*	V	V*	V	V			
QM-86A	M8	63.8	600 x 400	V*	V	V*	V	V			
QD-98	M8	91.4	800 x 500	V	V	V*	V	V			
QD-98 (portrait)	M8	91.4	500 x 800	V	V	V*	V	V			

## AG Neovo Displays &amp; Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	DMC-01	ES-02	DMC-02D	DMS-01D	DMS-01Q	DTS-01
<b>Screw Type</b>				M4	M4	M4	M4	M4	M4 M5 M6 M8
<b>VESA Compliant of Mount (mm)</b>				100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	400 x 400 / 400 x 300 / 400 x 200 / 300 x 300 / 300 x 200 / 200 x 200 / 200 x 200 / 100 x 200 / 150 x 150 / 150 x 100
<b>Weight Capacity of Mount</b>				10.0 kg	2.0-8.0 kg	12.0 kg (per hinge)	12.0 kg (per hinge)	8.0 kg (per hinge)	40.0 kg
<b>TX-10</b>	M4	1.4	100 X100						
SX-15E	M4	4.3	100 x 100 / 75 x 75	v	v	v	v	v	
SX-15G	M4	4.4	100 x 100 / 75 x 75	v	v	v	v	v	
SX-15P	M4	4.3	100 x 100 / 75 x 75	v	v	v	v	v	
TX-15	M4	2.7	100 x 100						
X-15E	M4	4.2	100 x 100 / 75 x 75	v	v	v	v	v	
X-15P	M4	4.3	100 x 100 / 75 x 75	v	v	v	v	v	
C-17P	M4	2.6	100 x 100	v	v	v	v	v	
DR-17E	M4	5.3	100 x 100 / 75 x 75	v	v	v	v	v	
DR-17G	M4	5.4	100 x 100 / 75 x 75	v	v	v	v	v	
DR-17P	M4	5.8	100 x 100 / 75 x 75	v	v	v	v	v	
SC-17	M4	2.7	100 x 100	v	v	v	v	v	
SC-17AH	M4	2.7	100 x 100	v	v	v	v	v	
SC-17P	M4	2.7	100 x 100	v	v	v	v	v	
SQ-17	M4	2.3	100 x 100	v	v	v	v	v	
SX-17E	M4	5.3	100 x 100 / 75 x 75	v	v	v	v	v	
SX-17G	M4	5.3	100 x 100 / 75 x 75	v	v	v	v	v	
SX-17P	M4	5.3	100 x 100 / 75 x 75	v	v	v	v	v	
TX-17	M4	3.9	100 x 100						
U-17	M4	4.5	100 x 100	v	v	v	v	v	
X-17E	M4	5.2	100 x 100 / 75 x 75	v	v	v	v	v	
X-17P	M4	6.1	100 x 100 / 75 x 75	v	v	v	v	v	
C-19P	M4	3.1	100 x 100	v	v	v	v	v	
SC-19	M4	3.4	100 x 100	v	v	v	v	v	
SC-19AH	M4	3.4	100 x 100	v	v	v	v	v	
SC-19E	M4	2.0	100 x 100	v	v	v	v	v	
SC-19P	M4	3.4	100 x 100	v	v	v	v	v	
SQ-19	M4	2.7	100 x 100	v	v	v	v	v	
SX-19E	M4	6.2	100 x 100 / 75 x 75	v	v	v	v	v	
SX-19G	M4	6.1	100 x 100 / 75 x 75	v	v	v	v	v	
SX-19P	M4	6.3	100 x 100 / 75 x 75	v	v	v	v	v	
TX-19	M4	4.6	100 x 100						
U-19	M4	5.3	100 x 100	v	v	v	v	v	
X-19E	M4	6.0	100 x 100 / 75 x 75	v	v	v	v	v	
DR-22	M4	6.3	100 x 100 / 75 x 75	v	v	v	v	v	
DR-22E	M4	6.2	100 x 100 / 75 x 75	v	v	v	v	v	
DR-22G	M4	6.2	100 x 100 / 75 x 75	v	v	v	v	v	
HX-22	M4	6.3	100 x 100 / 75 x 75	v	v	v	v	v	
LE-22	M4	2.7	100 x 100	v	v	v	v	v	
LE-22E	M4	2.9	100 x 100	v	v	v	v	v	
L-W22	M4	3.2	100 x 100	v	v	v	v	v	
L-W22C	M4	3.2	100 x 100	v	v	v	v	v	
LW-22E	M4	2.9	100 x 100	v	v	v	v	v	
LW-22G	M4	2.5	100 x 100	v	v	v	v	v	
LA-22	M4	3.1	100 x 100	v	v	v	v	v	
LH-22	M4	3.1	100 x 100	v	v	v	v	v	
MX-22	M4	6.1	100 x 100 / 75 x 75	v	v	v	v	v	
RX-22	M4	6.3	100 x 100 / 75 x 75	v	v	v	v	v	
RX-22E	M4	6.2	100 x 100 / 75 x 75	v	v	v	v	v	
RX-22G	M4	6.0	100 x 100 / 75 x 75	v	v	v	v	v	
SC-22	M4	3.2	100 x 100	v	v	v	v	v	
SC-22AH	M4	3.2	100 x 100	v	v	v	v	v	
SC-22E	M4	2.4	100 x 100	v	v	v	v	v	
SQ-22	M4	2.9	100 x 100	v	v	v	v	v	
TBX-2201	M4	6.5	100 x 100 / 75 x 75	v	v	v	v	v	
TM-22	M4	4.3	100 x 100						
TX-22	M4	4.8	100 x 100						
X-22	M4	6.3	100 x 100 / 75 x 75	v	v	v	v	v	
X-22E	M4	1.4	100 x 100 / 75 x 75	v	v	v	v	v	
FS-24	M4	3.3	100 x 100	v	v	v	v	v	
FS-24G	M4	2.9	100 X100	v	v	v	v	v	
HX-24	M4	7.3	100 x 100 / 75 x 75	v	v	v	v	v	
HX-24E	M4	7.3	100 x 100 / 75 x 75	v	v	v	v	v	
HX-24G	M4	7.3	100 x 100 / 75 x 75	v	v	v	v	v	
LE-24	M4	3.3	100 x 100	v	v	v	v	v	
LE-24E	M4	3.4	100 x 100	v	v	v	v	v	
L-W24	M4	3.4	100 x 100	v	v	v	v	v	
L-W24C	M4	4.5	100 x 100	v	v	v	v	v	
LW-24E	M4	3.4	100 x 100	v	v	v	v	v	
LW-24G	M4	3.0	100 x100	v	v	v	v	v	
LA-24	M4	3.1	100 x 100	v	v	v	v	v	

## AG Neovo Displays &amp; Mounts



	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	DMC-01	ES-02	DMC-02D	DMS-01D	DMS-01Q	DTS-01
<b>Screw Type</b>				M4	M4	M4	M4	M4	M4 M5 M6 M8
<b>VESA Compliant of Mount (mm)</b>				100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	400 x 400 / 400 x 300 / 400 x 200 / 300 x 300 / 300 x 200 / 200 x 200 / 200 x 200 / 100 x 200 / 150 x 150 / 150 x 100
<b>Weight Capacity of Mount</b>				10.0 kg	2.0-8.0 kg	12.0 kg (per hinge)	12.0 kg (per hinge)	8.0 kg (per hinge)	40.0 kg
LH-24	M4	3.1	100 x 100	V	V	V	V	V	
MD-24	M4	3.3	100 x 100	V	V	V	V	V	
MX-24	M4	7.2	100 x 100 / 75 x 75	V	V	V	V	V	
MX-24G	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
QX-24	M4	7.4	100 x 100 / 100 x 200	V	V	V	V	V	
RX-24	M4	7.2	100 x 100 / 75 x 75	V	V	V	V	V	
RX-24E	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
RX-24G	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
SC-24	M4	3.4	100 x 100	V	V	V	V	V	
SC-24AH	M4	3.4	100 x 100	V	V	V	V	V	
SC-24E	M4	3.4	100 x 100	V	V	V	V	V	
TM-23	M4	5.1	100 x 100						
U-23	M4	5.4	100 x 100	V	V	V	V	V	
X-24	M4	6.8	100 x 100 / 75 x 75	V	V	V	V	V	
X-24E	M4	7.2	100 x 100 / 75 x 75	V	V	V	V	V	
FS-27	M4	4.2	100 x 100	V	V				
FS-27G	M4	3.8	100 x 100	V	V				
LE-27	M4	5.2	100 x 100	V	V				
LE-27E	M4	5.1	100 x 100	V	V				
LE-27R	M4	5.2	100 x 100	V	V				
L-W27	M4	5.5	100 x 100	V	V				
L-W27C	M4	5.2	100 x 100	V	V				
LW-27E	M4	5.0	100 x 100	V	V				
LA-27	M4	3.8	100 x 100	V	V				
LH-27	M4	3.8	100 x 100	V	V				
MD-27	M4	4.2	100 x 100	V	V				
SC-27E	M4	4.6	100 x 100	V	V				
TM-27	M4	6.6	100 x 100		V				
QF-28	M4	5.3	100 x 100	V	V				
QX-28	M4	10.4	100 x 100 / 100 x 200						
HX-32	M6	15.2	400 x 200						V
HX-32(Portrait)	M6	15.2	200 x 400						V
HX-32E	M6	15.2	400 x 200						V
HX-32E(Portrait)	M6	15.2	200 x 400						V
PM-32	M4	5.2	200 x 200 / 100 x 100	V	V				
QX-32	M6	15.7	400 x 200 / 200 x 200						
RX-32	M6	15.2	400 x 200						V
RX-32 (Portrait)	M6	15.2	200 x 400						V
RX-32E	M6	15.0	400 x 200						V
RX-32E (Portrait)	M6	15.0	200 x 400						V
SC-32	M6	9.1	200 x 100						V
SC-32AH	M6	7.0	200 x 100						V
SC-32E	M4	5.6	100 x 100	V	V				
TX-32	M6	17.6	400 x 200						
TX-32P	M6	12.5	400 x 200						
TX-32P (Portrait)	M6	12.5	200 x 400						
HX-42	M6	24.8	400 x 200						V
HX-42 (Portrait)	M6	24.8	200 x 400						V
HX-42E	M6	23.2	200 x 200						V
HX-42E (Portrait)	M6	23.2	200 x 200						V
PD-42	M6	15.3	200 x 200						V
PD-42 (portrait)	M6	15.3	200 x 200						V
RX-42	M6	24.8	400 x 200						V
RX-42 (Portrait)	M6	24.8	200 x 400						V
RX-42E	M6	23.1	200 x 200						V
RX-42E (Portrait)	M6	23.1	200 x 200						V
SC-42	M6	14.3	400 x 400						V
SC-42AH	M6	14.3	400 x 400						V
SC-42AH (Portrait)	M6	14.3	400 x 400						V
SC-42E	M4	8.1	100 x 100	V					V
TX-42	M6	28.3	400 x 200						
TX-42P	M6	24.5	400 x 200						
TX-42P (Portrait)	M6	24.5	200 x 400						
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200						V
PM-43	M6	8.7	400 x 400 / 200 x 200						V
QM-43	M6	8.7	400 x 400 / 200 x 200						V
QM-43A	M6	8.7	400 x 400 / 200 x 200						V
QX-43	M6	27.1	400 x 400 / 400 x 200						V
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400						V
PN-46	M6	24.3	400 x 200 / 200 x 200						V
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200						V
PN-46D	M6	23.0	400 x 200 / 200 x 200						V
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200						V
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200						V
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200						V
PM-48	M6	11.5	400 x 400 / 200 x 200						V
PD-49	M6	19.0	400 x 400						V
PD-49 (Portrait)	M6	19.0	400 x 400						V
PF-55H		105.0							
DF-55		94.5							
DS-55		49.5							
DS-55 (portrait)		49.5							

## AG Neovo Displays &amp; Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	DMC-01	ES-02	DMC-02D	DMS-01D	DMS-01Q	DTS-01
<b>Screw Type</b>				M4	M4	M4	M4	M4	M4 M5 M6 M8
<b>VESA Compliant of Mount (mm)</b>				100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	400 x 400 / 400 x 300 / 400 x 200 / 300 x 300 / 300 x 200 / 200 x 200 / 200 x 200 / 100 x 200 / 150 x 150 / 150 x 100
<b>Weight Capacity of Mount</b>				10.0 kg	2.0-8.0 kg	12.0 kg (per hinge)	12.0 kg (per hinge)	8.0 kg (per hinge)	40.0 kg
DX-55		150.0							
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200						V
HX-55E	M6	37.1	400 x 400						V
HX-55E(Portrait)	M6	37.1	400 x 400						V
PD-55	M6	24.7	400 x 400						V
PD-55 (Portrait)	M6	24.7	400 x 400						V
PM-55	M6	16.0	400 x 400 / 400 x 200						V
PN-55D (PN5DA0)	M6	27.0	400 x 400						V
PN-55D (PN5DA0) (Portrait)	M6	27.0	400 x 400						V
PN-55D (PN5D00)	M6	29.2	400 x 400						V
PN-55D (PN5D00) (Portrait)	M6	29.2	400 x 400						V
PN-55H (PN5HA0)	M6	23.0	400 x 400						V
PN-55H (PN5HA0) (Portrait)	M6	27.2	400 x 400						V
PN-55H (PN5HB0)	M6	24.9	400 x 400						V
PN-55H (PN5HB0) (Portrait)	M6	24.9	400 x 400						V
VW-55D (VW5D00)	M6	24.4	400 x 400						V
VW-55D (VW5D00) (Portrait)	M6	24.4	400 x 400						V
VW-55H (VW5H00)	M6	24.4	400 x 400						V
VW-55H (VW5H00) (Portrait)	M6	24.4	400 x 400						V
PO-55F	M8	29.2	400 x 400						V
PO-55F (Portrait)	M8	29.2	400 x 400						V
PO-55H	M8	36.7	400 x 400						V
PO-55H (Portrait)	M8	36.7	400 x 400						V
PS-55	M6	30.6	200 x 200						V
PS-55 (Portrait)	M6	30.6	200 x 200						V
SC-55E	M4	13.8	400x200						V
QM-55	M6	16.0	400 x 400 / 400 x 200						V
QM-55A	M6	16.0	400 x 400 / 400 x 200						V
QX-55	M8	39.1	400 x 400 / 400 x 200						V
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400						V
RX-55E	M6	37.0	400 x 400						V
RX-55E (Portrait)	M6	37.0	400 x 400						V
NSD-6501Q	M6	24.8	400 x 400						V
PM-65	M8	36.2	400 x 400						V
PM-65P	M8	24.8	400 x 400						V
QM-65	M6	24.8	400 x 400						V
QM-65A	M6	24.8	400 x 400						V
IIF-6502	M8	39.0	600 x 400						V
IIF-7502	M8	50.6	800 x 400						V
NSD-7501Q	M8	53.0	600 x 400						V
QD-75	M8	53.3	600 x 400						V
QM-75	M8	53.0	600 x 400						V
QM-75A	M8	53.0	600 x 400						V
QD-84	M8	70.0	600 x 500						V
QD-84(partrait)	M8	70.0	500 x 600						V
IIF-8620	M8	64.6	800 x 600						V
NSD-8601Q	M8	63.8	600 x 400						V
QM-86	M8	63.8	600 x 400						V
QM-86A	M8	63.8	600 x 400						V
QD-98	M8	91.4	800 x 500						V
QD-98 (partrait)	M8	91.4	500 x 800						V



AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	HDL-01	HDL-02
					
<b>Screw Type</b>				M4	M4
<b>VESA Compliant of Mount (mm)</b>					
<b>Weight Capacity of Mount</b>					
DR-17E	M4	5.3	100 x 100 / 75 x 75	V	
DR-17G	M4	5.4	100 x 100 / 75 x 75	V	
DR-17P	M4	5.8	100 x 100 / 75 x 75	V	
DR-22	M4	6.3	100 x 100 / 75 x 75		V
DR-22E	M4	6.2	100 x 100 / 75 x 75		V
DR-22G	M4	6.2	100 x 100 / 75 x 75		V
MX-22	M4	6.1	100 x 100 / 75 x 75		V
MX-24G	M4	7.2	100 x 100 / 75 x 75		V
MX-24G	M4	7.3	100 x 100 / 75 x 75		V