







AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	VWM-01	VWM-02
					
Screw Type				M6 M8	M6 M8
VESA Compliant of Mount (mm)				Max. 500 x 400	Max. 500 x 400
Weight Capacity of Mount				80.0 kg	80.0 kg
HX-42	M6	24.8	400 x 200	V	V
HX-42 (Portrait)	M6	24.8	200 x 400	V	V
HX-42E	M6	23.2	200 x 200	V	V
HX-42E (Portrait)	M6	23.2	200 x 200	V	V
PD-42	M6	15.3	200 x 200	V	V
PD-42 (portrait)	M6	15.3	200 x 200	V	V
PD-43Q	M6	10.7	200 x 200	V	V
PD-43Q(portrait)	M6	10.7	200 x 200	V	V
RX-42	M6	24.8	400 x 200	V	V
RX-42 (Portrait)	M6	24.8	200 x 400	V	V
RX-42E	M6	23.1	200 x 200	V	V
RX-42E (Portrait)	M6	23.1	200 x 200	V	V
SC-42	M6	14.3	400 x 400	V	V
SC-42AH	M6	14.3	400 x 400	V	V
SC-42AH (Portrait)	M6	14.3	400 x 400	V	V
SC-42E	M4	8.1	100 x 100		
TX-42	M6	28.3	400 x 200	V	V
TX-42P	M6	24.5	400 x 400	V	V
TX-42P (Portrait)	M6	24.5	400 x 400	V	V
TX-4302	M6	19.5	400 x 400	V	V
TX-4302(Portrait)	M6	19.5	400 x 400	V	V
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200	V	V
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400	V	V
PN-46	M6	24.3	400 x 200 / 200 x 200	V	V
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200	V	V
PN-46D	M8	23.0	400 x 200 / 200 x 400	V	V
PN-46D (Portrait)	M8	23.0	200 x 400 / 400 x 200	V	V
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V
PD-49	M6	19.0	400 x 400	V	V
PF-55H		105.0			
DF-55		94.5			
DS-55		49.5			
DS-55 (portrait)		49.5			
DX-55		150.0			

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	VWM-01	VWM-02
					
Screw Type				M6 M8	M6 M8
VESA Compliant of Mount (mm)				Max. 500 x 400	Max. 500 x 400
Weight Capacity of Mount				80.0 kg	80.0 kg
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200	V	V
HX-55E	M6	37.1	400 x 400	V	V
HX-55E(Portrait)	M6	37.1	400 x 400	V	V
PD-55	M6	24.7	400 x 400	V	V
PD-55 (Portrait)	M6	24.7	400 x 400	V	V
PD-55Q	M6	16.6	400 x 400	V	V
PD-55Q(portrait)	M6	16.6	400 x 400	V	V
PM-55	M6	16.0	400 x 400 / 400 x 200	V	V
PN-55D (PN5DA0)	M6	27.0	400 x 400	V	V
PN-55D(PN5DA0) (Portrait)	M6	27.0	400 x 400	V	V
PN-55D(PN5D00)	M6	29.2	400 x 400	V	V
PN-55D(PN5D00) (Portrait)	M6	29.2	400 x 400	V	V
PN55D2	M6	24.4	400 x 400	V	V
PN-55D2 (Portrait)	M6	24.4	400 x 400	V	V
PN-55H(PN5HA0)	M6	23.0	400 x 400	V	V
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400	V	V
PN-55H(PN5HB0)	M6	24.9	400 x 400	V	V
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400	V	V
VW-55D(VW5D00)	M6	24.4	400 x 400	V	V
VW-55D(VW5D00) (Portrait)	M6	24.4	400 x 400	V	V
VW-55H(VW5H00)	M6	24.4	400 x 400	V	V
VW-55H(VW5H00) (Portrait)	M6	24.4	400 x 400	V	V
PO-55F	M8	29.2	400 x 400	V	V
PO-55F (Portrait)	M8	29.2	400 x 400	V	V
PO-55H	M8	36.7	400 x 400	V	V
PO-55H (Portrait)	M8	36.7	400 x 400	V	V
PS-55	M6	30.6	200 x 200		
PS-55 (Portrait)	M6	30.6	200 x 200		
SC-55E	M4	13.8	400x200		
QM-55	M6	16.0	400 x 400 / 400 x 200	V	V
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V
QX-55	M8	39.1	400 x 400 / 400 x 200	V	V
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400	V	V
RX-55E	M6	37.0	400 x 400	V	V

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	VWM-01	VWM-02
					
Screw Type				M6 M8	M6 M8
VESA Compliant of Mount (mm)				Max. 500 x 400	Max. 500 x 400
Weight Capacity of Mount				80.0 kg	80.0 kg
RX-55E (Portrait)	M6	37.0	400 x 400	V	V
NSD-6501Q	M6	24.8	400 x 400	V	V
PD-65Q	M8	27.8	400 x 400	V	V
PD-65Q(portrait)	M8	27.8	400 x 400	V	V
PM-65	M8	36.2	400 x 400	V	V
PM-65P	M8	24.8	400 x 400	V	V
QM-65	M6	24.8	400 x 400	V	V
QM-65A	M6	24.8	400 x 400	V	V
IFP-6502	M8	39.0	600 x400		
IFP-7502	M8	50.6	800 x400		
NSD-7501Q	M8	53.0	600 x 400		
QD-75	M8	53.3	600 x 400		
QM-75	M8	53.0	600 x 400		
QM-75A	M8	53.0	600 x 400		
QD-84	M8	70.0	600 x 500		
QD-84(portrait)	M8	70.0	500 x 600		
IFP-8620	M8	64.6	800 x 600		
NSD-8601Q	M8	63.8	600 x 400		
QM-86	M8	63.8	600 x 400		
QM-86A	M8	63.8	600 x 400		
QD-98	M8	91.4	800 x 500		
QD-98 (portrait)	M8	91.4	500 x 800		




AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	FMS-01	FMS-02	FMC-02	FMC-03 ± LMK-04	FMC-04 ± LMK-04
Screw Type				M6	M6	M6	M4 M5 M6 M8	M4 M5 M6 M8
VESA Compliant of Mount (mm)				Max. 400 x 400	Max. 400 x 400	Max. 400 x 400	Max. 812 x 600	Max. 812 x 600
Weight Capacity of Mount				30.0 kg	30.0kg	30.0 kg	85.0 kg	125.0 kg
HX-32	M6	15.2	400 x 200	V	V	V		
HX-32(Portrait)	M6	15.2	200 x 400	V	V	V		
HX-32E	M6	15.2	400 x 200	V	V	V		
HX-32E(Portrait)	M6	15.2	200 x 400	V	V	V		
PM-32	M4	5.2	200 x 200 / 100 x 100					
QX-32	M6	15.7	400 x 200 / 200 x 200	V	V	V		
RX-32	M6	15.2	400 x 200	V	V	V		
RX-32 (Portrait)	M6	15.2	200 x 400	V	V	V		
RX-32E	M6	15.0	400 x 200	V	V	V		
RX-32E (Portrait)	M6	15.0	200 x 400	V	V	V		
SC-32	M6	9.1	200 x 100	V	V	V		
SC-32AH	M6	7.0	200 x 100	V	V	V		
SC-32E	M4	5.6	100 x 100					
TX-32	M6	17.6	400 x 200	V	V	V		
TX-32P	M6	12.5	400 x 200	V	V	V		
TX-32P (Portrait)	M6	12.5	200 x 400	V	V	V		
TX-3202	M6	10.4	200 x 200	V	V	V		
TX-3202 (Portrait)	M6	10.4	200 x 200	V	V	V		
HX-42	M6	24.8	400 x 200	V	V	V		
HX-42 (Portrait)	M6	24.8	200 x 400	V	V	V		
HX-42E	M6	23.2	200 x 200	V	V	V		
HX-42E (Portrait)	M6	23.2	200 x 200	V	V	V		
PD-42	M6	15.3	200 x 200	V	V	V		
PD-42 (partrait)	M6	15.3	200 x 200	V	V	V		
PD-43Q	M6	10.7	200 x 200	V	V	V		
PD-43Q(partrait)	M6	10.7	200 x 200	V	V	V		
RX-42	M6	24.8	400 x 200	V	V	V		
RX-42 (Portrait)	M6	24.8	200 x 400	V	V	V		
RX-42E	M6	23.1	200 x 200	V	V	V		
RX-42E (Portrait)	M6	23.1	200 x 200	V	V	V		
SC-42	M6	14.3	400 x 400	V	V	V		
SC-42AH	M6	14.3	400 x 400	V	V	V		
SC-42AH (Portrait)	M6	14.3	400 x 400	V	V	V		
SC-42E	M4	8.1	100 x 100					
TX-42	M6	28.3	400 x 400	V	V	V		
TX-42P	M6	24.5	400 x 400	V	V	V		
TX-42P (Portrait)	M6	24.5	400 x 400	V	V	V		
TX-4302	M6	19.5	400 x 400	V	V	V		
TX-4302 (Portrait)	M6	19.5	400 x 400	V	V	V		
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200	V	V	V		
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V		
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V		
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V	V		
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V	V		
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400	V	V	V		
PN-46	M6	24.3	400 x 200 / 200 x 200	V	V	V		
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200	V	V	V		
PN-46D	M8	23.0	400 x 200 / 200 x 400	V	V	V		
PN-46D (Portrait)	M8	23.0	200 x 400 / 400 x 200	V	V	V		
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V	V		
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V	V		
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V	V		
PD-49	M6	19.0	400 x 400	V	V	V		
PD-49 (Portrait)	M6	19.0	400 x 400	V	V	V		
PF-55H		105.0						
DF-55		94.5						
DS-55		49.5						
DS-55 (portrait)		49.5						
DX-55		150.0						
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V
HX-55E	M6	37.1	400 x 400				V	V
HX-55E(Portrait)	M6	37.1	400 x 400					V
PD-55	M6	24.7	400 x 400	V	V	V	V	V
PD-55 (Portrait)	M6	24.7	400 x 400	V	V	V	V	V
PD-55Q	M6	16.6	400 x 400	V	V	V	V	V
PD-55Q(partrait)	M6	16.6	400 x 400	V	V	V	V	V
PM-55	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V
PN-55D (PN5DA0)	M6	27.0	400 x 400	V	V	V	V	V
PN-55D(PN5DA0) (Portrait)	M6	27.0	400 x 400	V	V	V		V
PN-55D(PN5D00)	M6	29.2	400 x 400	V	V	V	V	V




AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	FMS-01	FMS-02	FMC-02	FMC-03 ± LMK-04	FMC-04 ± LMK-04
Screw Type				M6	M6	M6	M4 M5 M6 M8	M4 M5 M6 M8
VESA Compliant of Mount (mm)				Max. 400 x 400	Max. 400 x 400	Max. 400 x 400	Max. 812 x 600	Max. 812 x 600
Weight Capacity of Mount				30.0 kg	30.0kg	30.0 kg	85.0 kg	125.0 kg
PN-55D(PN5D00) (Portrait)	M6	29.2	400 x 400	V	V	V		
PN55D2	M6	24.4	400 x 400	V	V	V	V	V
PN-55D2 (Portrait)	M6	24.4	400 x 400	V	V	V		
PN-55H(PN5HA0)	M6	23.0	400 x 400	V	V	V	V	V
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400	V	V	V		
PN-55H(PN5HB0)	M6	24.9	400 x 400	V	V	V	V	V
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400	V	V	V		
VW-55D(VW5D00)	M6	24.4	400 x 400	V	V	V	V	V
VW-55D(VW5D00) (Portrait)	M6	24.4	400 x 400	V	V	V		
VW-55H(VW5H00)	M6	24.4	400 x 400	V	V	V	V	V
VW-55H(VW5H00) (Portrait)	M6	24.4	400 x 400	V	V	V		
PO-55F	M8	29.2	400 x 400				V	V
PO-55F (Portrait)	M8	29.2	400 x 400					
PO-55H	M8	36.7	400 x 400				V	V
PO-55H (Portrait)	M8	36.7	400 x 400					
PS-55	M6	30.6	200 x 200				V	V
PS-55 (Portrait)	M6	30.6	200 x 200					
SC-55E	M4	13.8	400x200				V	V
QM-55	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V
QX-55	M8	39.1	400 x 400 / 400 x 200				V	V
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400					
RX-55E	M6	37.0	400 x 400				V	V
RX-55E (Portrait)	M6	37.0	400 x 400					
NSD-6501Q	M6	24.8	400 x 400	V	V	V	V	V
PD-65Q	M8	27.8	400 x 400				V	V
PD-65Q(partrait)	M8	27.8	400 x 400					
PM-65	M8	36.2	400 x 400				V	V
PM-65P	M8	24.8	400 x 400				V	V
QM-65	M6	24.8	400 x 400	V	V	V	V	V
QM-65A	M6	24.8	400 x 400	V	V	V	V	V
IFF-6502	M8	39.0	600 x 400				V	V
IFF-7502	M8	50.6	800 x 400				V	V
NSD-7501Q	M8	53.0	600 x 400				V	V
QD-75	M8	53.3	600 x 400				V	V
QM-75	M8	53.0	600 x 400				V	V
QM-75A	M8	53.0	600 x 400				V	V
QD-84	M8	70.0	600 x 500				V	V
QD-84(partrait)	M8	70.0	500 x 600				V	V
IFF-8620	M8	64.6	800 x 600				V	V
NSD-8601Q	M8	63.8	600 x 400				V	V
QM-86	M8	63.8	600 x 400				V	V
QM-86A	M8	63.8	600 x 400				V	V
QD-98	M8	91.4	800 x 500					V
QD-98 (partrait)	M8	91.4	500 x 800					V




AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
TX-10	M4	1.4	100 X100			
SX-15E	M4	4.3	100 x 100 / 75 x 75			V
SX-15G	M4	4.4	100 x 100 / 75 x 75			V
SX-15P	M4	4.3	100 x 100 / 75 x 75			V
TX-15	M4	2.7	100 x 100			
X-15E	M4	4.2	100 x 100 / 75 x 75			V
X-15P	M4	4.3	100 x 100 / 75 x 75			V
C-17P	M4	2.6	100 x 100			V
DR-17E	M4	5.3	100 x 100 / 75 x 75			V
DR-17G	M4	5.4	100 x 100 / 75 x 75			V
DR-17P	M4	5.8	100 x 100 / 75 x 75			V
SC-17	M4	2.7	100 x 100			V
SC-17AH	M4	2.7	100 x 100			V
SC-17P	M4	2.7	100 x 100			V
SQ-17	M4	2.3	100 x 100			V
SX-17E	M4	5.3	100 x 100 / 75 x 75			V
SX-17G	M4	5.3	100 x 100 / 75 x 75			V
SX-17P	M4	5.3	100 x 100 / 75 x 75			V
TX-17	M4	3.9	100 x 100			
U-17	M4	4.5	100 x 100			V
X-17E	M4	5.2	100 x 100 / 75 x 75			V
X-17P	M4	6.1	100 x 100 / 75 x 75			V
C-19P	M4	3.1	100 x 100			V
SC-19	M4	3.4	100 x 100			V
SC-19AH	M4	3.4	100 x 100			V
SC-19E	M4	2.0	100 x 100			V
SC-19P	M4	3.4	100 x 100			V
SQ-19	M4	2.7	100 x 100			V
SX-19E	M4	6.2	100 x 100 / 75 x 75			V
SX-19G	M4	6.1	100 x 100 / 75 x 75			V
SX-19P	M4	6.3	100 x 100 / 75 x 75			V
TX-19	M4	4.6	100 x 100			
U-19	M4	5.3	100 x 100			V
X-19E	M4	6.0	100 x 100 / 75 x 75			V
CD-2201	M4	2.9	100 x 100			V
DR-22	M4	6.3	100 x 100 / 75 x 75			V
DR-22E	M4	6.2	100 x 100 / 75 x 75			V
DR-22G	M4	6.2	100 x 100 / 75 x 75			V
HX-22	M4	6.3	100 x 100 / 75 x 75			V
LE-22	M4	2.7	100 x 100			V
LE-22E	M4	2.9	100 x 100			V
L-W22	M4	3.2	100 x 100			V
L-W22C	M4	3.2	100 x 100			V
LW-22E	M4	2.9	100 x 100			V
LW-22G	M4	2.5	100 x 100			V
LA-22	M4	3.1	100 x 100			V
LH-22	M4	3.1	100 x 100			V
MX-22	M4	6.1	100 x 100 / 75 x 75			V
RX-22	M4	6.3	100 x 100 / 75 x 75			V
RX-22E	M4	6.2	100 x 100 / 75 x 75			V




AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
RX-22G	M4	6.0	100 x 100 / 75 x 75			V
SC-22	M4	3.2	100 x 100			V
SC-22AH	M4	3.2	100 x 100			V
SC-22E	M4	2.4	100 x 100			V
SQ-22	M4	2.9	100 x 100			V
TBX-2201	M4	6.5	100 x 100 / 75 x 75			V
TM-22	M4	4.3	100 x 100			
TX-22	M4	4.8	100 x 100			
X-22	M4	6.3	100 x 100 / 75 x 75			V
X-22E	M4	1.4	100 x 100 / 75 x 75			V
CD-2401	M4	3.8	100 x 100			V
FS-24	M4	3.3	100 x 100			V
FS-24G	M4	2.9	100 X100			V
HX-24	M4	7.3	100 x 100 / 75 x 75			V
HX-24E	M4	7.3	100 x 100 / 75 x 75			V
HX-24G	M4	7.3	100 x 100 / 75 x 75			V
MH-24	M4	2.9	100 X100			V
LE-24	M4	3.3	100 x 100			V
LE-24E	M4	3.4	100 x 100			V
L-W24	M4	3.4	100 x 100			V
L-W24C	M4	4.5	100 x 100			V
LW-24E	M4	3.4	100 x 100			V
LW-24G	M4	3.0	100 x100			V
LA-24	M4	3.1	100 x 100			V
LH-24	M4	3.1	100 x 100			V
EH-24	M4	3.1	100 x 100			V
MD-24	M4	3.3	100 x 100			V
MD-2402	M4	2.8	101 x 100			V
MX-24	M4	7.2	100 x 100 / 75 x 75			V
QX-24	M4	7.4	100 x 100 / 100 x 200			V
RX-24	M4	7.2	100 x 100 / 75 x 75			V
RX-24E	M4	7.3	100 x 100 / 75 x 75			V
RX-24G	M4	7.3	100 x 100 / 75 x 75			V
SC-24	M4	3.4	100 x 100			V
SC-24AH	M4	3.4	100 x 100			V
SC-24E	M4	3.4	100 x 100			V
SC-2402	M4	3.0	100 x 100			V
TM-23	M4	5.1	100 x 100			
U-23	M4	5.4	100 x 100			V
X-24	M4	6.8	100 x 100 / 75 x 75			V
X-24E	M4	7.2	100 x 100 / 75 x 75			V
CD-2701	M4	4.3	100 x 100			V
FS-27	M4	4.2	100 x 100			V
FS-27G	M4	3.8	100 x 100			V
MH-27	M4	3.8	100 x 100			V
LE-27	M4	5.2	100 x 100			V
LE-27E	M4	5.1	100 x 100			V
LE-27R	M4	5.2	100 x 100			V
L-W27	M4	5.5	100 x 100			V
L-W27C	M4	5.2	100 x 100			V




AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
LW-27E	M4	5.0	100 x 100			V
LA-27	M4	3.8	100 x 100			V
LH-27	M4	3.8	100 x 100			V
MD-27	M4	4.2	100 x 100			V
MD-2702	M4	3.7	100 x 100			V
SC-27E	M4	4.6	100 x 100			V
TM-27	M4	6.6	100 x 100			
QF-28	M4	5.3	100 x 100			V
QX-28	M4	10.4	100 x 100 / 100 x 200			V
HX-32	M6	15.2	400 x 200		V	
HX-32(Portrait)	M6	15.2	200 x 400			
HX-32E	M6	15.2	400 x 200		V	
HX-32E(Portrait)	M6	15.2	200 x 400			
PM-32	M4	5.2	200 x 200 / 100 x 100		V	V
QX-32	M6	15.7	400 x 200 / 200 x 200		V	V
RX-32	M6	15.2	400 x 200		V	
RX-32 (Portrait)	M6	15.2	200 x 400			
RX-32E	M6	15.0	400 x 200		V	
RX-32E (Portrait)	M6	15.0	200 x 400			
SC-32	M6	9.1	200 x 100		V	V
SC-32AH	M6	7.0	200 x 100		V	V
SC-32E	M4	5.6	100 x 100		V	V
TX-32	M6	17.6	400 x 200			
TX-32P	M6	12.5	400 x 200			
TX-32P (Portrait)	M6	12.5	200 x 400			
HX-42	M6	24.8	400 x 200	V	V	
HX-42 (Portrait)	M6	24.8	200 x 400			
HX-42E	M6	23.2	200 x 200	V	V	V
HX-42E (Portrait)	M6	23.2	200 x 200		V*	V*
PD-42	M6	15.3	200 x 200	V	V	V
PD-42 (partrait)	M6	15.3	200 x 200		V*	V*
PD-43Q	M6	10.7	200 x 200	V	V	V
PD-43Q(partrait)	M6	10.7	200 x 200		V*	V*
RX-42	M6	24.8	400 x 200	V	V	
RX-42 (Portrait)	M6	24.8	200 x 400			
RX-42E	M6	23.1	200 x 200	V	V	V
RX-42E (Portrait)	M6	23.1	200 x 200		V*	V*
SC-42	M6	14.3	400 x 400	V		
SC-42AH	M6	14.3	400 x 400	V		
SC-42AH (Portrait)	M6	14.3	400 x 400			
SC-42E	M4	8.1	100 x 100	V	V	V
TX-42	M6	28.3	400 x 400			
TX-42P	M6	24.5	400 x 400			
TX-42P (Portrait)	M6	24.5	200 x 400			
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200	V	V	V
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V	V
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V	
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400			

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
PN-46	M6	24.3	400 x 200 / 200 x 200	V	V	V
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200		V*	V*
PN-46D	M6	23.0	400 x 200 / 200 x 200	V	V	V
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200		V*	V*
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V	V
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200		V*	V*
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V	V
PD-49	M6	19.0	400 x 400	V		
PD-49 (Portrait)	M6	19.0	400 x 400			
PF-55H		105.0				
DF-55		94.5				
DS-55		49.5				
DS-55 (portrait)		49.5				
DX-55		150.0				
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200	V	V	
HX-55E	M6	37.1	400 x 400	V		
HX-55E(Portrait)	M6	37.1	400 x 400			
PD-55	M6	24.7	400 x 400	V		
PD-55 (Portrait)	M6	24.7	400 x 400			
PD-55Q	M6	16.6	400 x 400	V		
PD-55Q(partrait)	M6	16.6	400 x 400			
PM-55	M6	16.0	400 x 400 / 400 x 200	V		
PN-55D (PN5DA0)	M6	27.0	400 x 400	V		
PN-55D(PN5DA0) (Portrait)	M6	27.0	400 x 400			
PN-55D(PN5D00)	M6	29.2	400 x 400	V		
PN-55D(PN5D00) (Portrait)	M6	29.2	400 x 400			
PN55D2	M6	24.4	400 x 400	V		
PN-55D2 (Portrait)	M6	24.4	400 x 400			
PN-55H(PN5HA0)	M6	23.0	400 x 400	V		
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400			
PN-55H(PN5HB0)	M6	24.9	400 x 400	V		
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400			
VW-55D(VW5D00)	M6	24.4	400 x 400	V		
VW-55D(VW5D00) (Portrait)	M6	24.4	400 x 400			
VW-55H(VW5H00)	M6	24.4	400 x 400	V		
VW-55H(VW5H00) (Portrait)	M6	24.4	400 x 400			
PO-55F	M8	29.2	400 x 400	V		
PO-55F (Portrait)	M8	29.2	400 x 400			
PO-55H	M8	36.7	400 x 400	V		
PO-55H (Portrait)	M8	36.7	400 x 400			
PS-55	M6	30.6	200 x 200	V	V	V
PS-55 (Portrait)	M6	30.6	200 x 200		V*	V
SC-55E	M4	13.8	400x200	V	V	V
QM-55	M6	16.0	400 x 400 / 400 x 200	V	V	

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	CMP-01 ± LMK-01	CMP-01 ± LMK-02	CMP-01 ± WMK-03
						
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 400 x 330	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				60.0 kg (per side)	60.0 kg (per side)	60.0 kg (per side)
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V	
QX-55	M8	39.1	400 x 400 / 400 x 200	V		
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400			
RX-55E	M6	37.0	400 x 400	V		
RX-55E (Portrait)	M6	37.0	400 x 400			
NSD-6501Q	M6	24.8	400 x 400	V		
PD-65Q	M8	27.8	400 x 400	V		
PD-65Q(partrait)	M8	27.8	400 x 400	V		
PM-65	M8	36.2	400 x 400	V		
PM-65P	M8	24.8	400 x 400	V		
QM-65	M6	24.8	400 x 400	V		
QM-65A	M6	24.8	400 x 400	V		
IFP-6502	M8	39.0	600 x400	V		
IFP-7502	M8	50.6	800 x400			
NSD-7501Q	M8	53.0	600 x 400	V		
QD-75	M8	53.3	600 x 400	V		
QM-75	M8	53.0	600 x 400	V		
QM-75A	M8	53.0	600 x 400	V		
QD-84	M8	70.0	600 x 500			
QD-84(partrait)	M8	70.0	500 x 600			
IFP-8620	M8	64.6	800 x 600			
NSD-8601Q	M8	63.8	600 x 400			
QM-86	M8	63.8	600 x 400			
QM-86A	M8	63.8	600 x 400			
QD-98	M8	91.4	800 x 500			
QD-98 (partrait)	M8	91.4	500 x 800			

*Tilt angles are subject to actual installation conditions.

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	LMK-01	LMK-02	LMK-03	LMA-01	LMA-02	WMA-01	PMK-01	WMK-01	WMK-03
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6 M8	M4 M5 M6 M8	M4 M5 M6 M8	M4 M5 M6 M8	M4	M4	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 400 x 330	Max. 800 x 500	Max. 400 x 400	200 x 200, 300 x 300, 400 x 200, 400 x 400, 600 x 400 mm BRACKET(660x220)	200 x 200 / 200 x 100 / 100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				80.0 kg	80.0 kg	100.0kg	35.0 kg	50.0 kg	25.0 kg	14.0 kg	18.0kg	60.0 kg
TX-10	M4	1.4	100 X100									
SK-15E	M4	4.3	100 x 100 / 75 x 75						V	V	V	V
SK-15G	M4	4.4	100 x 100 / 75 x 75						V	V	V	V
SK-15P	M4	4.3	100 x 100 / 75 x 75						V	V	V	V
TX-15	M4	2.7	100 x 100							V	V	V
TX-1502	M4	2.7	100 x 100							V	V	V
X-15E	M4	4.2	100 x 100 / 75 x 75						V	V	V	V
X-15P	M4	4.3	100 x 100 / 75 x 75						V	V	V	V
C-17P	M4	2.6	100 x 100						V	V	V	V
DR-17E	M4	5.3	100 x 100 / 75 x 75						V	V	V	V
DR-17G	M4	5.4	100 x 100 / 75 x 75						V	V	V	V
DR-17P	M4	5.8	100 x 100 / 75 x 75						V	V	V	V
SC-17	M4	2.7	100 x 100						V	V	V	V
SC-17AH	M4	2.7	100 x 100						V	V	V	V
SC-17P	M4	2.7	100 x 100						V	V	V	V
SQ-17	M4	2.3	100 x 100						V	V	V	V
SK-17E	M4	5.3	100 x 100 / 75 x 75						V	V	V	V
SK-17G	M4	5.3	100 x 100 / 75 x 75						V	V	V	V
SK-17P	M4	5.3	100 x 100 / 75 x 75						V	V	V	V
TX-17	M4	3.9	100 x 100						V	V	V	V
TX-1702	M4	3.9	100 x 100						V	V	V	V
U-17	M4	4.5	100 x 100						V	V	V	V
X-17E	M4	5.2	100 x 100 / 75 x 75						V	V	V	V
X-17P	M4	6.1	100 x 100 / 75 x 75						V	V	V	V
C-19P	M4	3.1	100 x 100						V	V	V	V
SC-19	M4	3.4	100 x 100						V	V	V	V
SC-19AH	M4	3.4	100 x 100						V	V	V	V
SC-19E	M4	2.0	100 x 100						V	V	V	V
SC-19P	M4	3.4	100 x 100						V	V	V	V
SQ-19	M4	2.7	100 x 100						V	V	V	V
SK-19E	M4	6.2	100 x 100 / 75 x 75						V	V	V	V
SK-19G	M4	6.1	100 x 100 / 75 x 75						V	V	V	V
SK-19P	M4	6.3	100 x 100 / 75 x 75						V	V	V	V
TX-19	M4	4.6	100 x 100						V	V	V	V
TX-1902	M4	4.6	100 x 100						V	V	V	V
U-19	M4	5.3	100 x 100						V	V	V	V
X-19E	M4	6.0	100 x 100 / 75 x 75						V	V	V	V
CD-2201	M4	2.9	100 x 100						V	V	V	V
DR-22	M4	6.3	100 x 100 / 75 x 75						V	V	V	V
DR-22E	M4	6.2	100 x 100 / 75 x 75						V	V	V	V
DR-22G	M4	6.2	100 x 100 / 75 x 75						V	V	V	V
HX-22	M4	6.3	100 x 100 / 75 x 75						V	V	V	V
LE-22	M4	2.7	100 x 100						V	V	V	V
LE-22E	M4	2.9	100 x 100						V	V	V	V
LW-22	M4	3.2	100 x 100						V	V	V	V
LW-22C	M4	3.2	100 x 100						V	V	V	V
LW-22E	M4	2.9	100 x 100						V	V	V	V
LW-22G	M4	2.5	100 x 100						V	V	V	V
LA-22	M4	3.1	100 x 100						V	V	V	V
LH-22	M4	3.1	100 x 100						V	V	V	V
MX-22	M4	6.1	100 x 100 / 75 x 75						V	V	V	V
RX-22	M4	6.3	100 x 100 / 75 x 75						V	V	V	V
RX-22E	M4	6.2	100 x 100 / 75 x 75						V	V	V	V
RX-22G	M4	6.0	100 x 100 / 75 x 75						V	V	V	V
SC-22	M4	3.2	100 x 100						V	V	V	V
SC-22AH	M4	3.2	100 x 100						V	V	V	V
SC-22E	M4	2.4	100 x 100						V	V	V	V
SQ-22	M4	2.9	100 x 100						V	V	V	V
TBX-2201	M4	6.5	100 x 100 / 75 x 75						V	V	V	V
TM-22	M4	4.3	100 x 100						V	V	V	V
TX-22	M4	4.8	100 x 100						V	V	V	V
TX-2202	M4	4.8	100 x 100						V	V	V	V
X-22	M4	6.3	100 x 100 / 75 x 75						V	V	V	V
X-22E	M4	1.4	100 x 100 / 75 x 75						V	V	V	V
CD-2401	M4	3.8	100 x 100						V	V	V	V
FS-24	M4	3.3	100 x 100						V	V	V	V
FS-24G	M4	2.9	100 X100						V	V	V	V
HX-24	M4	7.3	100 x 100 / 75 x 75						V	V	V	V
HX-24E	M4	7.3	100 x 100 / 75 x 75						V	V	V	V
HX-24G	M4	7.3	100 x 100 / 75 x 75						V	V	V	V
MH-24	M4	2.9	100 X100						V	V	V	V
LE-24	M4	3.3	100 x 100						V	V	V	V
LE-24E	M4	3.4	100 x 100						V	V	V	V
LW-24	M4	3.4	100 x 100						V	V	V	V
LW-24C	M4	4.5	100 x 100						V	V	V	V
LW-24E	M4	3.0	100 x 100						V	V	V	V
LW-24G	M4	3.0	100 x100						V	V	V	V
LA-24	M4	3.1	100 x 100						V	V	V	V
LH-24	M4	3.1	100 x 100						V	V	V	V
EH-24	M4	3.1	100 x 100						V	V	V	V
MD-24	M4	3.3	100 x 100						V	V	V	V
MD-2402	M4	2.8	100 x 100						V	V	V	V
MX-24	M4	7.2	100 x 100 / 75 x 75						V	V	V	V
QX-24	M4	7.4	100 x 100 / 100 x 200						V	V	V	V
RX-24	M4	7.2	100 x 100 / 75 x 75						V	V	V	V
RX-24E	M4	7.3	100 x 100 / 75 x 75						V	V	V	V
RX-24G	M4	7.3	100 x 100 / 75 x 75						V	V	V	V
SC-24	M4	3.4	100 x 100						V	V	V	V
SC-24AH	M4	3.4	100 x 100						V	V	V	V
SC-24E	M4	3.4	100 x 100						V	V	V	V
SC-2402	M4	3.0	100 x 100						V	V	V	V
TM-23	M4	5.1	100 x 100						V	V	V	V
U-23	M4	5.4	100 x 100						V	V	V	V
X-24	M4	6.8	100 x 100 / 75 x 75						V	V	V	V
X-24E	M4	7.2	100 x 100 / 75 x 75						V	V	V	V
CD-2701	M4	4.3	100 x 100						V	V	V	V
FS-27	M4	4.2	100 x 100						V	V	V	V
FS-27G	M4	3.8	100 x 100						V	V	V	V
MH-27	M4	3.8	100 x 100						V	V	V	V
LE-27	M4	5.2	100 x 100						V	V	V	V
LE-27E	M4	5.1	100 x 100						V	V	V	V
LE-27R	M4	5.2	100 x 100						V	V	V	V
LW-27	M4	5.5	100 x 100						V	V	V	V
LW-27C	M4	5.2	100 x 100						V	V	V	V
LW-27E	M4	5.0	100 x 100						V	V	V	V
LA-27	M4	3.1	100 x 100						V	V	V	V
LH-27	M4	3.8	100 x 100						V	V	V	V
MD-27	M4	4.2	100 x 100						V	V	V	V
MD-2702	M4	3.7	100 x 100						V	V	V	V
SC-27E	M4	4.6	100 x 100						V	V	V	V
TM-27	M4	6.6	100 x 100						V	V	V	V
QF-28	M4	5.3	100 x 100						V	V	V	V
QK-28	M4	10.4	100 x 100 / 100 x 200						V	V	V	V
HX-32	M6	15.2	400 x 200				V	V	V	V	V	V
HX-32(Portrait)	M6	15.2	200 x 400				V	V	V	V	V	V
HX-32E	M6	15.2	400 x 200				V	V	V	V	V	V
HX-32E(Portrait)	M6	15.2	200 x 400				V	V	V	V	V	V
PM-32	M4	5.2	200 x 200 / 100 x 100				V	V	V	V	V	V

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	LMK-01	LMK-02	LMK-03	LMA-01	LMA-02	WMA-01	PMK-01	WMK-01	WMK-03
Screw Type				M4 M5 M6 M8	M4 M5 M6	M4 M5 M6 M8	M4 M5 M6 M8	M4 M5 M6 M8	M4 M5 M6 M8	M4	M4	M4 M5 M6
VESA Compliant of Mount (mm)				Max. 725 x 450	Max. 400 x 330	Max. 800 x 500	Max. 400 x 400	200 x 200, 300 x 300, 400 x 200, 400 x 400, 600 x 400 mm BRACKET(660x220)	200 x 200 / 200 x 100 / 100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	200 x 200 / 200 x 100 / 100 x 100
Weight Capacity of Mount				80.0 kg	80.0 kg	100.0kg	35.0 kg	50.0 kg	25.0 kg	14.0 kg	18.0kg	60.0 kg
QX-32	M6	15.7	400 x 200 / 200 x 200	V	V	V	V	V	V			V
RX-32	M6	15.2	400 x 200		V	V	V	V	V			
RX-32 (Portrait)	M6	15.2	200 x 400		V	V	V	V	V			
RX-32E	M6	15.0	400 x 200		V	V	V	V	V			
RX-32E (Portrait)	M6	15.0	200 x 400		V	V	V	V	V			
SC-32	M6	9.1	200 x 100		V	V	V	V	V			V
SC-32AH	M6	7.0	200 x 100		V	V	V	V	V			V
SC-32E	M4	5.6	100 x 100		V	V	V	V	V			V
TX-32	M6	17.6	400 x 200		V	V	V	V	V	V		V
TX-32P	M6	12.5	400 x 200		V	V	V	V	V			
TX-32P (Portrait)	M6	12.5	200 x 400		V	V	V	V	V			
TX-3202	M6	10.4	200 x 200		V	V	V	V	V			V
TX-3202 (Portrait)	M6	10.4	200 x 200		V	V	V	V	V			V
TX-4302	M6	19.5	400 x 400	V		V						
TX-4302 (Portrait)	M6	19.5	400 x 400	V		V						
HX-42	M6	24.8	400 x 200	V	V	V	V	V	V			
HX-42 (Portrait)	M6	24.8	200 x 400	V	V	V	V	V	V			
HX-42E	M6	23.2	200 x 200	V	V	V	V	V	V			V
HX-42E (Portrait)	M6	23.2	200 x 200	V	V*	V	V	V	V			V
PD-42	M6	15.2	200 x 200	V	V	V	V	V	V			V
PD-42 (partrait)	M6	15.3	200 x 200	V	V*	V	V	V	V			V
PD-43Q	M6	10.7	200 x 200	V	V	V	V	V	V			V
PD-43Q(partrait)	M6	10.7	200 x 200	V	V*	V	V	V	V			V
RX-42	M6	24.8	400 x 200	V	V	V	V	V	V			
RX-42 (Portrait)	M6	24.8	200 x 400	V	V	V	V	V	V			
RX-42E	M6	23.1	200 x 200	V	V	V	V	V	V			V
RX-42E (Portrait)	M6	23.1	200 x 200	V	V*	V	V	V	V			V
SC-42	M6	14.3	400 x 400	V	V	V	V	V	V			
SC-42AH	M6	14.3	400 x 400	V	V	V	V	V	V			
SC-42AH (Portrait)	M6	14.3	400 x 400	V	V	V	V	V	V			
SC-42E	M4	8.1	100 x 100	V	V	V	V	V	V		V	V
TX-42	M6	28.3	400 x 200	V	V	V	V	V	V	V		V
TX-42P	M6	24.5	400 x 400	V	V	V	V	V	V			
TX-42P (Portrait)	M6	24.5	400 x 400	V	V	V	V	V	V			
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200	V	V	V	V	V	V			V
PM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V	V	V	V			V
QM-43	M6	8.7	400 x 400 / 200 x 200	V	V	V	V	V	V			V
QM-43A	M6	8.7	400 x 400 / 200 x 200	V	V	V	V	V	V			V
QX-43	M6	27.1	400 x 400 / 400 x 200	V	V	V	V	V	V			V
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400	V	V	V	V	V	V			V
PN-46	M6	24.3	400 x 200 / 200 x 200	V	V	V	V	V	V			V
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200	V	V*	V	V	V	V			V*
PN-46D	M6	23.0	400 x 200 / 200 x 200	V	V	V	V	V	V			V
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200	V	V	V	V	V	V			V*
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V	V	V	V	V			V*
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200	V	V*	V	V	V	V			V
PM-48	M6	11.5	400 x 400 / 200 x 200	V	V	V	V	V	V			V
PD-49	M6	19.0	400 x 400	V	V	V	V	V	V			
PD-49 (Portrait)	M6	19.0	400 x 400	V	V	V	V	V	V			
PF-55H		105.0										
DF-55		94.5										
DS-55		49.5										
DS-55 (portrait)		49.5										
DX-55		150.0										
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V	V			
HX-55E	M6	37.1	400 x 400	V	V	V	V	V	V			
HX-55E(Portrait)	M6	37.1	400 x 400	V	V	V	V	V	V			
PD-55	M6	24.7	400 x 400	V	V	V	V	V	V			
PD-55 (Portrait)	M6	24.7	400 x 400	V	V	V	V	V	V			
PD-55Q	M6	16.6	400 x 400	V	V	V	V	V	V			
PD-55Q(partrait)	M6	16.6	400 x 400	V	V	V	V	V	V			
PN-55	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V	V			
PN-55D (PNSDA0)	M6	27.0	400 x 400	V	V	V	V	V	V			
PN-55D (PNSDA0) (Portrait)	M6	27.0	400 x 400	V	V	V	V	V	V			
PN-55D (PNSD00)	M6	29.2	400 x 400	V	V	V	V	V	V			
PN-55D (PNSD00) (Portrait)	M6	29.2	400 x 400	V	V	V	V	V	V			
PN-55D2 (Portrait)	M6	24.4	400 x 400	V	V	V	V	V	V			
PN-55D2 (Portrait)	M6	24.4	400 x 400	V	V	V	V	V	V			
PN-55H(PNSHAD)	M6	23.0	400 x 400	V	V	V	V	V	V			
PN-55H(PNSHAD) (Portrait)	M6	27.2	400 x 400	V	V	V	V	V	V			
PN-55H(PNSH80)	M6	24.9	400 x 400	V	V	V	V	V	V			V
PN-55H(PNSH80) (Portrait)	M6	24.9	400 x 400	V	V	V	V	V	V			V
VW-55D (VWSD00)	M6	24.4	400 x 400	V	V	V	V	V	V			
VW-55D (VWSD00) (Portrait)	M6	24.4	400 x 400	V	V	V	V	V	V			
VW-55H (VWSH00)	M6	24.4	400 x 400	V	V	V	V	V	V			
VW-55H (VWSH00) (Portrait)	M6	24.4	400 x 400	V	V*	V	V	V	V			
PO-55F	M8	29.2	400 x 400	V	V	V	V	V	V			
PO-55F (Portrait)	M8	29.2	400 x 400	V	V	V	V	V	V			
PO-55H	M8	36.7	400 x 400	V	V	V	V	V	V			
PO-55H (Portrait)	M8	36.7	400 x 400	V	V	V	V	V	V			
PS-55	M6	30.6	200 x 200	V	V	V	V	V	V			V
PS-55 (Portrait)	M6	30.6	200 x 200	V	V*	V	V	V	V			V
SC-55E	M4	13.8	400x200	V	V	V	V	V	V			
QM-55	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V	V			
QM-55A	M6	16.0	400 x 400 / 400 x 200	V	V	V	V	V	V			
QX-55	M8	39.1	400 x 400 / 400 x 200	V	V	V	V	V	V			
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400	V	V*	V	V	V	V			
RX-55E	M6	37.0	400 x 400	V	V	V	V	V	V			
RX-55E (Portrait)	M6	37.0	400 x 400	V	V	V	V	V	V			
NSD-6501Q	M6	24.8	400 x 400	V	V	V	V	V	V			
PD-65Q	M8	27.8	400 x 400	V	V	V	V	V	V			
PD-65Q(partrait)	M8	27.8	400 x 400	V	V	V	V	V	V			
PM-65	M8	36.2	400 x 400	V	V	V	V	V	V			
PM-65P	M8	24.8	400 x 400	V	V	V	V	V	V			
QM-65	M6	24.8	400 x 400	V	V	V	V	V	V			
QM-65A	M6	24.8	400 x 400	V	V	V	V	V	V			
IFP-6502	M8	39.0	600 x400	V	V*							
IFP-7502	M8	50.6	800 x400	V	V*							
NSD-7501Q	M8	53.0	600 x 400	V	V*							
QD-75	M8	53.3	600 x 400	V	V							
QM-75	M8	53.0	600 x 400	V	V*							
QM-75A	M8	53.0	600 x 400	V	V*							
QD-84	M8	70.0	600 x 500	V	V*							
QD-84(partrait)	M8	70.0	500 x 600	V	V*							
IFP-8620	M8	64.6	800 x 600	V	V*							
NSD-8601Q	M8	63.8	600 x 400	V*	V*							
QM-86	M8	63.8	600 x 400	V*	V*							
QM-86A	M8	63.8	600 x 400	V*	V*							
QD-98	M8	91.4	800 x 500	V*	V*							
QD-98 (partrait)	M8	91.4	500 x 800	V*	V*							

*Tilt angles are subject to actual installation conditions.

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	DMC-01	ES-02	DMC-02D	DMS-01D	DMS-01Q	DTS-01
Screw Type				M4	M4	M4	M4	M4	M4 M5 M6 M8
VESA Compliant of Mount (mm)				100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	400 x 400 / 400 x 300 / 400 x 200 / 300 x 300 / 300 x 200 / 200 x 200 / 200 x 200 / 100 x 200 / 150 x 150 / 150 x 100
Weight Capacity of Mount				10.0 kg	2.0-8.0 kg	12.0 kg (per hinge)	12.0 kg (per hinge)	8.0 kg (per hinge)	40.0 kg
TX-10	M4	1.4	100 X100						
SX-15E	M4	4.3	100 x 100 / 75 x 75	V	V	V	V	V	
SX-15G	M4	4.4	100 x 100 / 75 x 75	V	V	V	V	V	
SX-15P	M4	4.3	100 x 100 / 75 x 75	V	V	V	V	V	
TX-15	M4	2.7	100 x 100						
X-15E	M4	4.2	100 x 100 / 75 x 75	V	V	V	V	V	
X-15P	M4	4.3	100 x 100 / 75 x 75	V	V	V	V	V	
C-17P	M4	2.6	100 x 100	V	V	V	V	V	
DR-17E	M4	5.3	100 x 100 / 75 x 75	V	V	V	V	V	
DR-17G	M4	5.4	100 x 100 / 75 x 75	V	V	V	V	V	
DR-17P	M4	5.8	100 x 100 / 75 x 75	V	V	V	V	V	
SC-17	M4	2.7	100 x 100	V	V	V	V	V	
SC-17AH	M4	2.7	100 x 100	V	V	V	V	V	
SC-17P	M4	2.7	100 x 100	V	V	V	V	V	
SQ-17	M4	2.3	100 x 100	V	V	V	V	V	
SX-17E	M4	5.3	100 x 100 / 75 x 75	V	V	V	V	V	
SX-17G	M4	5.3	100 x 100 / 75 x 75	V	V	V	V	V	
SX-17P	M4	5.3	100 x 100 / 75 x 75	V	V	V	V	V	
TX-17	M4	3.9	100 x 100						
U-17	M4	4.5	100 x 100	V	V	V	V	V	
X-17E	M4	5.2	100 x 100 / 75 x 75	V	V	V	V	V	
X-17P	M4	6.1	100 x 100 / 75 x 75	V	V	V	V	V	
C-19P	M4	3.1	100 x 100	V	V	V	V	V	
SC-19	M4	3.4	100 x 100	V	V	V	V	V	
SC-19AH	M4	3.4	100 x 100	V	V	V	V	V	
SC-19E	M4	2.0	100 x 100	V	V	V	V	V	
SC-19P	M4	3.4	100 x 100	V	V	V	V	V	
SQ-19	M4	2.7	100 x 100	V	V	V	V	V	
SX-19E	M4	6.2	100 x 100 / 75 x 75	V	V	V	V	V	
SX-19G	M4	6.1	100 x 100 / 75 x 75	V	V	V	V	V	
SX-19P	M4	6.3	100 x 100 / 75 x 75	V	V	V	V	V	
TX-19	M4	4.6	100 x 100						
U-19	M4	5.3	100 x 100	V	V	V	V	V	
X-19E	M4	6.0	100 x 100 / 75 x 75	V	V	V	V	V	
CD-2201	M4	2.9	100 x 100	V	V	V	V	V	
DR-22	M4	6.3	100 x 100 / 75 x 75	V	V	V	V	V	
DR-22E	M4	6.2	100 x 100 / 75 x 75	V	V	V	V	V	
DR-22G	M4	6.2	100 x 100 / 75 x 75	V	V	V	V	V	
HX-22	M4	6.3	100 x 100 / 75 x 75	V	V	V	V	V	
LE-22	M4	2.7	100 x 100	V	V	V	V	V	
LE-22E	M4	2.9	100 x 100	V	V	V	V	V	
L-W22	M4	3.2	100 x 100	V	V	V	V	V	
L-W22C	M4	3.2	100 x 100	V	V	V	V	V	
LW-22E	M4	2.9	100 x 100	V	V	V	V	V	
LW-22G	M4	2.5	100 x 100	V	V	V	V	V	
LA-22	M4	3.1	100 x 100	V	V	V	V	V	
LH-22	M4	3.1	100 x 100	V	V	V	V	V	
MX-22	M4	6.1	100 x 100 / 75 x 75	V	V	V	V	V	
RX-22	M4	6.3	100 x 100 / 75 x 75	V	V	V	V	V	
RX-22E	M4	6.2	100 x 100 / 75 x 75	V	V	V	V	V	
RX-22G	M4	6.0	100 x 100 / 75 x 75	V	V	V	V	V	
SC-22	M4	3.2	100 x 100	V	V	V	V	V	
SC-22AH	M4	3.2	100 x 100	V	V	V	V	V	
SC-22E	M4	2.4	100 x 100	V	V	V	V	V	
SQ-22	M4	2.9	100 x 100	V	V	V	V	V	
TBX-2201	M4	6.5	100 x 100 / 75 x 75	V	V	V	V	V	
TM-22	M4	4.3	100 x 100						
TX-22	M4	4.8	100 x 100						
X-22	M4	6.3	100 x 100 / 75 x 75	V	V	V	V	V	
X-22E	M4	1.4	100 x 100 / 75 x 75	V	V	V	V	V	
CD-2401	M4	3.8	100 x 100	V	V	V	V	V	

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	DMC-01	ES-02	DMC-02D	DMS-01D	DMS-01Q	DTS-01
Screw Type				M4	M4	M4	M4	M4	M4 M5 M6 M8
VESA Compliant of Mount (mm)				100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	400 x 400 / 400 x 300 / 400 x 200 / 300 x 300 / 300 x 200 / 200 x 200 / 200 x 200 / 100 x 200 / 150 x 150 / 150 x 100
Weight Capacity of Mount				10.0 kg	2.0-8.0 kg	12.0 kg (per hinge)	12.0 kg (per hinge)	8.0 kg (per hinge)	40.0 kg
FS-24	M4	3.3	100 x 100	V	V	V	V	V	
FS-24G	M4	2.9	100 X100	V	V	V	V	V	
MH-24	M4	2.9	100 X100	V	V	V	V	V	
HX-24	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
HX-24E	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
HX-24G	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
LE-24	M4	3.3	100 x 100	V	V	V	V	V	
LE-24E	M4	3.4	100 x 100	V	V	V	V	V	
L-W24	M4	3.4	100 x 100	V	V	V	V	V	
L-W24C	M4	4.5	100 x 100	V	V	V	V	V	
LW-24E	M4	3.4	100 x 100	V	V	V	V	V	
LW-24G	M4	3.0	100 x 100	V	V	V	V	V	
LA-24	M4	3.1	100 x 100	V	V	V	V	V	
LH-24	M4	3.1	100 x 100	V	V	V	V	V	
EH-24	M4	3.1	100 x 100	V	V	V	V	V	
MD-24	M4	3.3	100 x 100	V	V	V	V	V	
MD-2402	M4	2.8	100 x 100	V	V	V	V	V	
MX-24	M4	7.2	100 x 100 / 75 x 75	V	V	V	V	V	
QX-24	M4	7.4	100 x 100 / 100 x 200	V	V	V	V	V	
RX-24	M4	7.2	100 x 100 / 75 x 75	V	V	V	V	V	
RX-24E	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
RX-24G	M4	7.3	100 x 100 / 75 x 75	V	V	V	V	V	
SC-24	M4	3.4	100 x 100	V	V	V	V	V	
SC-24AH	M4	3.4	100 x 100	V	V	V	V	V	
SC-24E	M4	3.4	100 x 100	V	V	V	V	V	
SC-2402	M4	3.0	100 x 100	V	V	V	V	V	
TM-23	M4	5.1	100 x 100						
U-23	M4	5.4	100 x 100	V	V	V	V	V	
X-24	M4	6.8	100 x 100 / 75 x 75	V	V	V	V	V	
X-24E	M4	7.2	100 x 100 / 75 x 75	V	V	V	V	V	
CD-2701	M4	4.3	100 x 100	V	V				
FS-27	M4	4.2	100 x 100	V	V				
FS-27G	M4	3.8	100 x 100	V	V				
MH-27	M4	3.8	100 x 100	V	V				
LE-27	M4	5.2	100 x 100	V	V				
LE-27E	M4	5.1	100 x 100	V	V				
LE-27R	M4	5.2	100 x 100	V	V				
L-W27	M4	5.5	100 x 100	V	V				
L-W27C	M4	5.2	100 x 100	V	V				
LW-27E	M4	5.0	100 x 100	V	V				
LA-27	M4	3.8	100 x 100	V	V				
LH-27	M4	3.8	100 x 100	V	V				
MD-27	M4	4.2	100 x 100	V	V				
MD-2702	M4	3.7	100 x 100	V	V				
SC-27E	M4	4.6	100 x 100	V	V				
TM-27	M4	6.6	100 x 100		V				
QF-28	M4	5.3	100 x 100	V	V				
QX-28	M4	10.4	100 x 100 / 100 x 200						
HX-32	M6	15.2	400 x 200						V
HX-32(Portrait)	M6	15.2	200 x 400						V
HX-32E	M6	15.2	400 x 200						V
HX-32E(Portrait)	M6	15.2	200 x 400						V
PM-32	M4	5.2	200 x 200 / 100 x 100	V	V				
QX-32	M6	15.7	400 x 200 / 200 x 200						V
RX-32	M6	15.2	400 x 200						V
RX-32 (Portrait)	M6	15.2	200 x 400						V
RX-32E	M6	15.0	400 x 200						V
RX-32E (Portrait)	M6	15.0	200 x 400						V
SC-32	M6	9.1	200 x 100						V
SC-32AH	M6	7.0	200 x 100						V
SC-32E	M4	5.6	100 x 100	V	V				
TX-32	M6	17.6	400 x 200						
TX-32P	M6	12.5	400 x 200						
TX-32P (Portrait)	M6	12.5	200 x 400						
TX-3202	M6	10.4	200 x 200						V

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	DMC-01	ES-02	DMC-02D	DMS-01D	DMS-01Q	DTS-01
Screw Type				M4	M4	M4	M4	M4	M4 M5 M6 M8
VESA Compliant of Mount (mm)				100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	400 x 400 / 400 x 300 / 400 x 200 / 300 x 300 / 300 x 200 / 200 x 200 / 200 x 200 / 100 x 200 / 150 x 150 / 150 x 100
Weight Capacity of Mount				10.0 kg	2.0-8.0 kg	12.0 kg (per hinge)	12.0 kg (per hinge)	8.0 kg (per hinge)	40.0 kg
TX-3202 (Portrait)	M6	10.4	200 x 200						
HX-42	M6	24.8	400 x 200						V
HX-42 (Portrait)	M6	24.8	200 x 400						
HX-42E	M6	23.2	200 x 200						V
HX-42E (Portrait)	M6	23.2	200 x 200						
PD-42	M6	15.3	200 x 200						V
PD-42 (partrait)	M6	15.3	200 x 200						
PD-43Q	M6	10.7	200 x 200						V
PD-43Q(partrait)	M6	10.7	200 x 200						
RX-42	M6	24.8	400 x 200						V
RX-42 (Portrait)	M6	24.8	200 x 400						
RX-42E	M6	23.1	200 x 200						V
RX-42E (Portrait)	M6	23.1	200 x 200						
SC-42	M6	14.3	400 x 400						V
SC-42AH	M6	14.3	400 x 400						V
SC-42AH (Portrait)	M6	14.3	400 x 400						
SC-42E	M4	8.1	100 x 100	V					V
TX-42	M6	28.3	400 x 400						
TX-42P	M6	24.5	400 x 400						
TX-42P (Portrait)	M6	24.5	400 x 400						
TX-4302	M6	19.5	400 x 400						V
TX-4302 (Portrait)	M6	19.5	400 x 400						V
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200						V
PM-43	M6	8.7	400 x 400 / 200 x 200						V
QM-43	M6	8.7	400 x 400 / 200 x 200						V
QM-43A	M6	8.7	400 x 400 / 200 x 200						V
QX-43	M6	27.1	400 x 400 / 400 x 200						V
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400						
PN-46	M6	24.3	400 x 200 / 200 x 200						V
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200						V
PN-46D	M6	23.0	400 x 200 / 200 x 200						V
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200						V
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200						V
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200						V
PM-48	M6	11.5	400 x 400 / 200 x 200						V
PD-49	M6	19.0	400 x 400						V
PD-49 (Portrait)	M6	19.0	400 x 400						
PF-55H		105.0							
DF-55		94.5							
DS-55		49.5							
DS-55 (portrait)		49.5							
DX-55		150.0							
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200						V
HX-55E	M6	37.1	400 x 400						V
HX-55E(Portrait)	M6	37.1	400 x 400						
PD-55	M6	24.7	400 x 400						V
PD-55 (Portrait)	M6	24.7	400 x 400						
PD-55Q	M6	16.6	400 x 400						V
PD-55Q(partrait)	M6	16.6	400 x 400						
PM-55	M6	16.0	400 x 400 / 400 x 200						V
PN-55D (PN5DA0)	M6	27.0	400 x 400						V
PN-55D (PN5DA0) (Portrait)	M6	27.0	400 x 400						
PN-55D (PN5D00)	M6	29.2	400 x 400						V
PN-55D (PN5D00) (Portrait)	M6	29.2	400 x 400						
PN55D2	M6	24.4	400 x 400						V
PN-55D2 (Portrait)	M6	24.4	400 x 400						
PN-55H(PN5HA0)	M6	23.0	400 x 400						V
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400						
PN-55H(PN5HB0)	M6	24.9	400 x 400						V
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400						
VW-55D (VW5D00)	M6	24.4	400 x 400						V
VW-55D (VW5D00) (Portrait)	M6	24.4	400 x 400						
VW-55H (VW5H00)	M6	24.4	400 x 400						V
VW-55H (VW5H00) (Portrait)	M6	24.4	400 x 400						
PO-55F	M8	29.2	400 x 400						V
PO-55F (Portrait)	M8	29.2	400 x 400						
PO-55H	M8	36.7	400 x 400						V
PO-55H (Portrait)	M8	36.7	400 x 400						
PS-55	M6	30.6	200 x 200						V
PS-55 (Portrait)	M6	30.6	200 x 200						
SC-55E	M4	13.8	400x200						V
QM-55	M6	16.0	400 x 400 / 400 x 200						V
QM-55A	M6	16.0	400 x 400 / 400 x 200						V
QX-55	M8	39.1	400 x 400 / 400 x 200						V
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400						



AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	DMC-01	ES-02	DMC-02D	DMS-01D	DMS-01Q	DTS-01
Screw Type				M4	M4	M4	M4	M4	M4 M5 M6 M8
VESA Compliant of Mount (mm)				100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	100 x 100 / 75 x 75	400 x 400 / 400 x 300 / 400 x 200 / 300 x 300 / 300 x 200 / 200 x 200 / 200 x 200 / 100 x 200 / 150 x 150 / 150 x 100
Weight Capacity of Mount				10.0 kg	2.0-8.0 kg	12.0 kg (per hinge)	12.0 kg (per hinge)	8.0 kg (per hinge)	40.0 kg
RX-55E	M6	37.0	400 x 400						V
RX-55E (Portrait)	M6	37.0	400 x 400						V
NSD-6501Q	M6	24.8	400 x 400						V
PD-65Q	M8	27.8	400 x 400						V
PD-65Q(partrait)	M8	27.8	400 x 400						V
PM-65	M8	36.2	400 x 400						V
PM-65P	M8	24.8	400 x 400						V
QM-65	M6	24.8	400 x 400						V
QM-65A	M6	24.8	400 x 400						V
JFP-6502	M8	39.0	600 x 400						
JFP-7502	M8	50.6	800 x 400						
NSD-7501Q	M8	53.0	600 x 400						
QD-75	M8	53.3	600 x 400						
QM-75	M8	53.0	600 x 400						
QM-75A	M8	53.0	600 x 400						
QD-84	M8	70.0	600 x 500						
QD-84(partrait)	M8	70.0	500 x 600						
JFP-8620	M8	64.6	800 x 600						
NSD-8601Q	M8	63.8	600 x 400						
QM-86	M8	63.8	600 x 400						
QM-86A	M8	63.8	600 x 400						
QD-98	M8	91.4	800 x 500						
QD-98 (partrait)	M8	91.4	500 x 800						

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	STD-02A	STD-03A	STD-04	STD-05	STD-06	STD-07	STD-08
Screw Type				M4 x L10	M4 x L10	M4 x L25	M4 x L40	M4 x L27.5	M4 x L27.5	M6/M8/M4 x L27.5
VESA Compliant of Mount (mm)										
Weight Capacity of Mount										
HX-32	M6	15.2	400 x 200	V						
HX-32(Portrait)	M6	15.2	200 x 400							
HX-32E	M6	15.2	400 x 200							
HX-32E(Portrait)	M6	15.2	200 x 400							
PM-32	M4	5.2	200 x 200 / 100 x 100					V		
QX-32	M6	15.7	400 x 200 / 200 x 200	V						
RX-32	M6	15.2	400 x 200	V						
RX-32 (Portrait)	M6	15.2	200 x 400							
RX-32E	M6	15.0	400 x 200							
RX-32E (Portrait)	M6	15.0	200 x 400							
SC-32	M6	9.1	200 x 100							
SC-32AH	M6	7.0	200 x 100							
SC-32E	M4	5.6	100 x 100							
TX-32	M6	17.6	400 x 200	V						
TX-32P	M6	12.5	400 x 200		V					
TX-32P (Portrait)	M6	12.5	200 x 400							
HX-42	M6	24.8	400 x 200		V					
HX-42 (Portrait)	M6	24.8	200 x 400							
HX-42E	M6	23.2	200 x 200			V				
HX-42E (Portrait)	M6	23.2	200 x 200							
PD-42	M6	15.3	200 x 200			V				
PD-42 (partrait)	M6	15.3	200 x 200							
PD-43Q	M6	10.7	200 x 200							
PD-43Q(partrait)	M6	10.7	200 x 200							
RX-42	M6	24.8	400 x 200		V					
RX-42 (Portrait)	M6	24.8	200 x 400							
RX-42E	M6	23.1	200 x 200			V				
RX-42E (Portrait)	M6	23.1	200 x 200							
SC-42	M6	14.3	400 x 400							
SC-42AH	M6	14.3	400 x 400							
SC-42AH (Portrait)	M6	14.3	400 x 400							
SC-42E	M4	8.1	100 x 100							
TX-42	M6	28.3	400 x 200		V					
TX-42P	M6	24.5	400 x 400		V					
TX-42P (Portrait)	M6	24.5	400 x 400							
NSD-4301Q	M6	8.7	400 x 400 / 200 x 200						V	
PM-43	M6	8.7	400 x 400 / 200 x 200						V	
QM-43	M6	8.7	400 x 400 / 200 x 200						V	
QM-43A	M6	8.7	400 x 400 / 200 x 200						V	
QX-43	M6	27.1	400 x 400 / 400 x 200		V					
QX-43 (Portrait)	M6	27.1	400 x 400 / 200 x 400							
PN-46	M6	24.3	400 x 200 / 200 x 200			V				
PN-46 (Portrait)	M6	24.3	200 x 400 / 200 x 200							
PN-46D	M6	23.0	400 x 200 / 200 x 200				V			
PN-46D (Portrait)	M6	23.0	200 x 400 / 200 x 200							
PS-46	M6	27.0	400 x 400 / 400 x 200 / 200 x 200				V			
PS-46 (Portrait)	M6	27.0	400 x 400 / 400 x 200 / 200 x 200							
PM-48	M6	11.5	400 x 400 / 200 x 200						V	
PD-49	M6	19.0	400 x 400			V				
PD-49 (Portrait)	M6	19.0	400 x 400							
PF-55H		105.0								
DF-55		94.5								
D5-55		49.5								
D5-55 (portrait)		49.5								
DX-55		150.0								
NSD-5501Q	M6	16.0	400 x 400 / 400 x 200						V	
HX-55E	M6	37.1	400 x 400			V				
HX-55E(Portrait)	M6	37.1	400 x 400							
PD-55	M6	24.7	400 x 400			V				
PD-55 (Portrait)	M6	24.7	400 x 400							
PD-55Q	M6	16.6	400 x 400							
PD-55Q(partrait)	M6	16.6	400 x 400							
PM-55	M6	16.0	400 x 400 / 400 x 200						V	
PN-55D (PN5DA0)	M6	27.0	400 x 400				V			
PN-55D (PN5DA0)	M6	27.0	400 x 400							
PN-55D (PN5D00)	M6	29.2	400 x 400				V			
PN-55D (PN5D00)	M6	29.2	400 x 400							
PN55D2	M6	24.4	400 x 400				V			
PN-55D2 (Portrait)	M6	24.4	400 x 400							
PN-55H(PN5HA0)	M6	23.0	400 x 400				V			
PN-55H(PN5HA0) (Portrait)	M6	27.2	400 x 400							
PN-55H(PN5HB0)	M6	24.9	400 x 400				V			
PN-55H(PN5HB0) (Portrait)	M6	24.9	400 x 400							
VW-55D (VW5D00)	M6	24.4	400 x 400				V			
VW-55D (VW5D00) (Portrait)	M6	24.4	400 x 400							
VW-55H (VW5H00)	M6	24.4	400 x 400				V			
VW-55H (VW5H00) (Portrait)	M6	24.4	400 x 400							
PD-55F	M8	29.2	400 x 400							
PD-55F (Portrait)	M8	29.2	400 x 400							
PD-55H	M8	36.7	400 x 400							
PD-55H (Portrait)	M8	36.7	400 x 400							
PS-55	M6	30.6	200 x 200				V			
PS-55 (Portrait)	M6	30.6	200 x 200							
SC-55E	M4	13.8	400x200							V
QM-55	M6	16.0	400 x 400 / 400 x 200						V	
QM-55A	M6	16.0	400 x 400 / 400 x 200						V	
QX-55	M8	39.1	400 x 400 / 400 x 200		V					
QX-55 (Portrait)	M8	39.1	400 x 400 / 200 x 400							
RX-55E	M6	37.0	400 x 400			V				
RX-55E (Portrait)	M6	37.0	400 x 400							
NSD-6501Q	M6	24.8	400 x 400							V
PD-65Q	M8	27.8	400 x 400							V
PD-65Q(partrait)	M8	27.8	400 x 400							
PM-65	M8	36.2	400 x 400							V
PM-65P	M8	24.8	400 x 400							V
QM-65	M6	24.8	400 x 400							V
QM-65A	M6	24.8	400 x 400							V
IFP-6502	M8	39.0	600 x 400							V

AG Neovo Displays & Mounts

	Screw Type	Display Weight (w/o Base) kg	VESA Compliant of Display (mm)	HDL-01	HDL-02
					
Screw Type				M4	M4
VESA Compliant of Mount (mm)				/	
Weight Capacity of Mount				/	
DR-17E	M4	5.3	100 x 100 / 75 x 75	V	
DR-17G	M4	5.4	100 x 100 / 75 x 75	V	
DR-17P	M4	5.8	100 x 100 / 75 x 75	V	
DR-22	M4	6.3	100 x 100 / 75 x 75		V
DR-22E	M4	6.2	100 x 100 / 75 x 75		V
DR-22G	M4	6.2	100 x 100 / 75 x 75		V
MX-22	M4	6.1	100 x 100 / 75 x 75		V
MX-24	M4	7.2	100 x 100 / 75 x 75		V